

**Uniform Crime Reporting Program Data
[United States]: County-Level Detailed Arrest
and Offense Data, 1998**

United States Department of Justice
Federal Bureau of Investigation

ICPSR 2910

UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]:
COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 1998

(ICPSR 2910)

Principal Investigator

United States Department of Justice
Federal Bureau of Investigation

Second ICPSR Edition
February 2001

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106

BIBLIOGRAPHIC CITATION

Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

U.S. Dept. of Justice, Federal Bureau of Investigation. UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 1998 [Computer file]. 2nd ICPSR ed. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2001.

REQUEST FOR INFORMATION ON USE OF ICPSR RESOURCES

To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Please indicate in a cover letter which data were used.

DATA DISCLAIMER

The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

DATA COLLECTION DESCRIPTION

United States Department of Justice. Federal Bureau of Investigation

UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 1998 (ICPSR 2910)

SUMMARY: This data collection contains county-level counts of arrests and offenses for Part I offenses (murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson) and counts of arrests for Part II offenses (forgery, fraud, embezzlement, vandalism, weapons violations, sex offenses, drug and alcohol abuse violations, gambling, vagrancy, curfew violations, and runaways).

UNIVERSE: County law enforcement agencies in the United States.

NOTE: (1) Two major changes to the Uniform Crime Reports (UCR) county-level files were implemented beginning with the 1994 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions was adopted. Within each county, data from agencies reporting 3 to 11 months of information were weighted to yield 12-month equivalents. Data for agencies reporting less than 3 months of data were replaced with data estimated by rates calculated from agencies reporting 12 months of data located in the agency's geographic stratum within its state. Secondly, a new Coverage Indicator was created to provide users with a diagnostic measure of aggregated data quality in a particular county. Data from agencies reporting only statewide figures were allocated to the counties in the state in proportion to each county's share of the state population. (2) In the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting 0 months based on the procedures mentioned above. However, due to the structure of the data received from the FBI, estimations could not be produced for agencies reporting 0 months in the Crimes Reported files (Parts 4 and 8). Offense data for agencies reporting 1 or 2 months are estimated using the above procedures. Users are encouraged to refer to the codebook for more information. (3) No arrest data were provided for Florida, Kansas, Wisconsin, and Washington, DC. Limited arrest data were available for Illinois, Kentucky, and New Hampshire. Limited offense data were available for Alaska, Illinois, Kansas, Kentucky, Mississippi, Missouri, Montana, South Dakota, and Wisconsin. (4) UCR program staff at the Federal Bureau of Investigation (FBI) were consulted in developing the new adjustment procedures. However, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding

these UCR county-level data files can contact the National Archive of Criminal Justice Data at ICPSR. (5) The codebook is provided as a Portable Document Format (PDF) file. The PDF file format was developed by Adobe Systems Incorporated and can be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided on the ICPSR Web site.

EXTENT OF COLLECTION: 8 data files + machine-readable documentation (PDF) + SAS data definition statements + SPSS data definition statements

EXTENT OF PROCESSING: CDBK.ICPSR/ DDEF.ICPSR/ MDATA.ICPSR/ RECODE/ UNDOCCHK.ICPSR

DATA FORMAT: Logical Record Length with SAS and SPSS data definition statements

Part 1: Arrests, All Ages
File Structure: rectangular
Cases: 3,145
Variables: 56
Record Length: 246
Records Per Case: 1

Part 3: Arrests, Juveniles
File Structure: rectangular
Cases: 3,145
Variables: 56
Record Length: 246
Records Per Case: 1

Part 5: Allocated Statewide
Data for Arrests, All Ages
File Structure: rectangular
Cases: 3,145
Variables: 57
Record Length: 250
Records Per Case: 1

Part 7: Allocated Statewide
Data for Arrests, Juveniles
File Structure: rectangular
Cases: 3,145
Variables: 57
Record Length: 250
Records Per Case: 1

Part 2: Arrests, Adult
File Structure: rectangular
Cases: 3,145
Variables: 56
Record Length: 246
Records Per Case: 1

Part 4: Crimes Reported
File Structure: rectangular
Cases: 3,145
Variables: 21
Record Length: 97
Records Per Case: 1

Part 6: Allocated Statewide
Data for Arrests, Adults
File Structure: rectangular
Cases: 3,145
Variables: 57
Record Length: 250
Records Per Case: 1

Part 8: Allocated Statewide
Data for Crimes Reported
File Structure: rectangular
Cases: 3,145
Variables: 22
Record Length: 104
Records Per Case: 1

RELATED PUBLICATIONS:

United States Department of Justice. Federal Bureau of Investigation. CRIME IN THE UNITED STATES, 1998. Washington, DC: United States Government Printing Office, 1999.

United States Department of Justice. Federal Bureau of Investigation. UNIFORM CRIME REPORTING HANDBOOK. Washington, DC: United States Government Printing Office, 1980.

United States Department of Justice. Bureau of Justice Statistics. FELONY SENTENCES IN STATE COURTS, 1990. Washington, DC: United States Government Printing Office, 1993.

TABLE OF CONTENTS

	no.
INTRODUCTION	
ICPSR Data Collection Description	i
Parts 1-3: Codebook for UCR County-Level Arrests Data	1
Parts 5-7: Codebook for Allocated Statewide Data for Arrests	5
Part 4: Codebook for UCR County-Level Crimes Reported Data	9
Part 8: Codebook for Allocated Statewide Data for Crimes Reported	11
APPENDIX	
FIPS Codes for UCR County-Level Data	13

ICPSR DATA COLLECTION DESCRIPTION

The UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 1998 reports counts of arrests and offenses for the Uniform Crime Reports (UCR) index (Part I) crimes: murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson. The UCR County-level Arrest files also report arrests for additional (Part II) crimes such as forgery, fraud, vice offenses, and drug possession or sale. The data were originally collected by the Federal Bureau of Investigation (FBI) from reports submitted by agencies and states participating in the UCR Program. Each agency or jurisdiction is uniquely identified in the collection by the UCR Originating Agency Identifier (ORI). In describing this data collection the terms agency, jurisdiction, and ORI are used synonymously. Detailed discussions of reporting procedures are found in the UNIFORM CRIME REPORTING HANDBOOK (Washington, DC: U.S. Government Printing Office, 1980), and in the codebooks for the ICPSR's Agency-level UCR data collections (see ICPSR 9028).

It should be emphasized that, while UCR staff were consulted in developing the new adjustment procedures, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding these UCR county-level data files can contact the National Archive of Criminal Justice Data at the ICPSR.

BREAK IN SERIES

Two major changes to the UCR county-level files were implemented with the 1994 release data and are continued with the 1998 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions has been adopted. Also, a new Coverage Indicator has been created to provide users with a diagnostic measure of aggregated data quality in a particular county. These developments are described in greater detail below. The changes were instituted in response to comments from a number of users and after almost a year of discussions by UCR file users, the Uniform Crime Reports Unit of the Federal Bureau of Investigation, the Bureau of Justice Statistics, and the Inter-university Consortium for Political and Social Research.

These changes will result in a break in series from previous UCR county-level files. Data from earlier year files should not be compared to data from 1994 and subsequent years. Changes in procedures used to adjust for incomplete reporting at the ORI or jurisdiction level may be expected to have an impact on aggregates for counties in which some ORIs have not reported for all 12 months. However, the new adjustment procedures should result in county-level data that are less sensitive to changes between years in the extent of reporting by ORIs within a county. Consequently, data from 1994 forward should be more accurate estimates for longitudinal analysis.

CHANGES IN IMPUTATION PROCEDURES FOR INCOMPLETE REPORTING

IMPUTATION PROCEDURES USED FOR 1977-1993 UCR COUNTY-LEVEL FILES: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting six to 11 months were increased by a weight of [12/months reported]. Data for any ORI reporting less than 6 months were deleted from the county total, and the population served by that ORI was deleted from the county population total to help control for differential data quality across counties.

The aim of this procedure was to produce comparable data cross-sectionally across all counties. However, if there were major changes in the ORIs that reported in a county across years, artifactual changes in the longitudinal data for a county could be introduced because of potential variation in the type of ORIs used to compute imputed county totals and rates each year.

IMPUTATION PROCEDURES USED FOR 1994 UCR COUNTY-LEVEL FILES AND ONWARD: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting 3 to 11 months were increased by a weight of [12/months reported]. For ORIs reporting 0 to 2 months in the arrest files or 1 to 2 months in the crimes reported files, data for these ORIs were set to zero and then data were estimated using rates calculated from ORIs reporting 12 months of data located in the ORI's geographic stratum based on UCR Population Groups within their state. UCR Population Groups are defined as follows:

- | | |
|--|--|
| Population Group | |
| ----- | |
| 1) Cities 250,000 and over | |
| 2) Cities 100,000 - 249,999 | |
| 3) Cities 50,000 - 99,999 | |
| 4) Cities 25,000 - 49,999 | |
| 5) Cities 10,000 - 24,999 | |
| 6) Cities 2,500 - 9,999 | |
| 7) Cities under 2,500 | |
| 8) Non-MSA counties and non-MSA State Police | |
| 9) MSA counties and MSA State Police | |

There is an important distinction in estimation procedures for the arrest versus the crimes reported files. For the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting 0-2 months based on the procedures mentioned above. However, due to the structure of the original data received from the FBI, ICPSR was only able to estimate data for agencies reporting 1-2 months in the crimes reported files (Parts 4 and 8). No estimations are provided for agencies reporting 0 months. To assist users, the county population figures and number of agencies reporting for both the arrest and crimes reported data files were added to the crimes reported files. These variables provide users with information that can be used to

determine the proportion of the population or agencies not included in the crime reported files due to the absence of records for agencies reporting 0 months. Users should keep in mind these differences when doing their analyses.

COVERAGE INDICATOR

For releases of UCR county-level files before 1994, data from jurisdictions reporting less than 6 months of data were not included in county totals in an effort to ensure cross-sectional data comparability and quality. With the new procedures to adjust for incomplete reporting, data will be provided for each active ORI that reports less than 12 months of data, whether through weighting of partial year data or substitution of a value based on population group and state. Instead of exercising an a priori judgment that 6 months of data is the minimum threshold for acceptable data quality, a new Coverage Indicator variable has been created that will allow users to set their own threshold for acceptable data quality and to include or exclude data based on the standards they set themselves. The Coverage Indicator variable represents the proportion of county data that is not imputed for a given year. The indicator ranges from 100, indicating that all ORIs in the county reported for 12 months in the year, to 0, indicating that all data in the county are based on estimates (as described above), not reported data. The Coverage Indicator is calculated as follows:

$$CI = \frac{1 - \sum_i ((ORI \text{ pop} / \text{county pop}) * ((12 - \text{months reported}) / 12))}{x} * 100$$

where CI = Coverage Indicator
 x = county
 i = ORI within county

The value for "months reported" will be 0 for agencies reporting 0-2 months of data because any data provided by these agencies is set to zero and the data are estimated using the procedure described above.

Some ORIs do not have a population associated with their jurisdiction. These ORIs report for jurisdictions such as national parks, colleges and universities, toll bridges and tunnels, and most state police departments. As the coverage indicator is based on months of reporting and the population of each agency, this variable will not show estimation that did occur for statewide ORIs and for ORIs as listed above that do not have a population but reported 3 to 11 months of data. Conversely, the coverage indicator will indicate that estimation has occurred for ORIs with a population that reported 3 to 11 months of data even if the ORIs actually reported no crimes or arrests. Similarly, the coverage indicator will indicate that estimation had occurred for ORIs with a population that reported 0 to 2 months of arrest data and 1 to 2 months of crimes reported data, even though no rate was calculated to estimate data because of the lack of ORIs in the agency's geographic stratum reporting 12 months of data. Finally, since data for ORIs that reported 0 to 2 months of arrest and 1 to 2 months of crime are set to zero, users should be aware that no estimation of data was possible for ORIs in these categories without a population. In the crimes reported files, no estimation was possible for agencies

reporting 0 months because population figures for these agencies were not provided in the original files from the FBI.

COMPARING "CRIME IN THE UNITED STATES 1998" TO ICPSR 2910

"Crime in the United States 1998" is a publication prepared by the Federal Bureau of Investigation and provides estimations of national reported crime activity and arrest statistics from law enforcement agencies in the UCR Program. Users of this data collection prepared by ICPSR may not be able to match the statistics presented in "Crime in the United States 1998" due to several factors:

- (1) The UCR staff continue to update agency records when additions or corrections are received by the UCR Program. The FBI statistics presented in "Crime in the United States 1998" are based on the data that the FBI has received prior to their established publication deadlines. The data used by ICPSR to prepare the data in ICPSR 2910 may contain additions or corrections to the data submitted to the FBI after their publication deadline for producing "Crime in the United States 1998."
- (2) The new imputation algorithm that ICPSR implemented in 1994 approximates the estimation procedures that the FBI uses to adjust for incomplete or unreported data from individual law enforcement jurisdictions. Either limited or no crime or arrest data were available for some states in 1998 because these states are in the process of converting to the National Incident-Based Reporting System (NIBRS). For some tables in "Crime in the United States 1998" (for example, Tables 2 and 29, pages 65 and 210, respectively), the FBI provided estimated crime counts and arrest totals for each of these states (see pages 395-397 for the FBI's estimation procedures). The ICPSR algorithm estimates data for agencies reporting less than three months of data by calculating rates from agencies reporting 12 months of data located in the agency's geographic stratum within that state. Since data for these states were very limited or not present in the original data, estimates for the entire state could not be produced by ICPSR.
- (3) Some tables in "Crime in the United States 1998" were prepared using data only from agencies submitting complete reports for the 12 months for 1998 prior to the publication deadline (for example, Table 69, page 268). For this ICPSR data collection, all law enforcement agency records present in the original FBI data were used in the aggregation to the county level. County records with a coverage indicator value of 100 contain only 12-month reporting agencies (see last paragraph of the Coverage Indicator section in the Introduction for possible exceptions). Agencies reporting 12 months of data within a county with a coverage indicator value less than 100 cannot be separately identified in this dataset aggregated at the county level.

IDENTIFYING MISSING DATA

In this data collection, zeroes may represent both true zeroes or missing data, and it is possible to distinguish between the two. In the arrest files (Parts 1-3), the coverage indicator alone does not indicate whether or not zeroes are true or missing values. A county can have a coverage indicator of zero, but still contain arrest data. ICPSR can estimate arrest data for a county that did not report any arrests based on data for other counties of comparable population size in the same state that did report 12 months of data.

In order to distinguish true zeroes from missing values, the user has to look at the coverage indicator for a county in conjunction with the arrest variables. If an arrest variable for a particular county has a value of zero and the coverage indicator is greater than zero, then the arrest variable contains a true zero. This true zero is not necessarily a reported zero as it may have been estimated. If an arrest variable for a particular county has a value of zero and the coverage indicator for that county is zero, then the user must check the values of ALL of the arrest variables. If some arrest variables contain zeroes and some contain other values, then the zeroes for this county are true. If ALL arrest variables and the coverage indicator for the county in question contain zeroes, then these indicate missing data.

In the crimes reported file (Part 4), data can not be estimated for non-reporting agencies. Therefore, counties with no population for reporting agencies will also have a coverage indicator of zero and all crime variables will have a value of zero. These zeroes indicate missing data. If a county has one or more offense variables with a value of zero, but has a value of greater than zero for the population and coverage indicator variables, then the zeroes for these particular offense variables should be considered true zeroes for the purposes of analysis.

SUMMARY OF HOW TO IDENTIFY MISSING DATA

	ARREST FILES	CRIMES REPORTED
TRUE ZERO	Coverage indicator > 0 or Coverage indicator = 0 AND at least one arrest count variable > 0	Coverage indicator > 0
MISSING DATA	Coverage indicator = 0 AND all arrest count variables = 0	Coverage indicator = 0 (All other crime count variables will necessarily = 0)

NOTES ON FIPS CODES

Cities designated by the Census Bureau as independent cities are reported separately and have their own "county" codes (see Appendix). Some jurisdictions, such as state parks and some state police, provide data only on a statewide basis. In these cases, data are allocated to counties proportionate to their share of the total state population. Parts 5 through 8 contain the amount of statewide data allocated to each county. To obtain the county total without the statewide allocation, the statewide values can be subtracted from the county data.

State Police data for Vermont that were not reported within a county and the State Police data for Alaska are not allocated to the counties. These two State Police records are identified by the county code 999. In the 1997 data and onward another 999 county code was added to these data files. The New York/New Jersey Port Authority reported data in 1997 through two agencies, one in New York and one in New Jersey. The FBI included the New York Port Authority agency as part of New York county. However, the FBI did not assign a UCR county code for the New Jersey Port Authority and did not provide a population figure for the area covered by this jurisdiction. Therefore, the New Jersey/New York Port Authority (NJNYPOA) is a separate record in the data files from 1997 onward with a county code of 999. This change increases the number of counties in this data collection to 3,145.

ICPSR uses FIPS Publication 6-4 "Counties and Equivalent Entities of the United States, Its Possessions, and Associated Areas" from the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, as a reference for assigning FIPS codes for the counties in this data collection. ICPSR consults this publication annually to note changes in FIPS codes that may affect this collection.

In May 1995, NIST announced that the independent city of South Boston, Virginia reverted to town status and became part of Halifax County as of June 30, 1995. The Virginia FIPS county code of 780 no longer exists and South Boston is included in FIPS county code 083. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from South Boston with Halifax County.

In July 1999, NIST announced that Yellowstone National Park, which had been treated as a county equivalent, is legally part of Gallatin County and Park County, Montana. Since Yellowstone National Park did not report arrest or crime data for 1998 and since this change was announced in 1999, Yellowstone National Park was left as a county equivalent in this data collection to remain consistent with earlier years.

In July 1999, NIST announced that as of November 13, 1993 Dade County, Florida officially changed its name to Miami-Dade County. The county was assigned a new FIPS code (086) to maintain the alphanumeric sequence of counties. In the 1997 data collection and onward, ICPSR also changed the Miami-Dade county code from 025 to 086 to match the change in the FIPS publication. However, the 1993-1996 UCR county-level data collections still used the old name and FIPS county code.

ADDITIONAL NOTES

In the UCR county-level arrest files, the population and data for jurisdictions located in multiple counties are provided only in the county containing the largest population component of the jurisdiction. Counties containing smaller population components of multiple-county jurisdictions will contain no population or arrest data for these jurisdictions. Data in counties affected by one or more multiple-county jurisdictions are indicated by a multi-county jurisdiction flag variable. In the county-level crimes reported files, the population and crime data for jurisdictions located in multiple counties are provided by the UCR proportioned to each county (maximum of three) in which the jurisdiction is located.

Drunkenness (FBI offense code 23) is not considered a crime in some states. States that do not consider drunkenness a crime, but which report data through the NIBRS system, such as North Dakota, may show arrest data for the offense in this data collection. This is because drunkenness may be listed as an incident in the NIBRS reporting system, even though there was technically no arrest in these states. Agencies in states where drunkenness is not a crime may use their own discretion in reporting drunkenness as an incident. Users should exercise caution when analyzing this variable because of these differences in reporting.

Finally, the original data from the FBI contain one record for New York City. Data from New York City are allocated into New York City's five counties on the basis of the proportion of the population in each county. For example, the population for Queens county is divided by the total population of New York City and the resulting proportion is multiplied with data from each of New York City's arrest and offense categories to apportion data to Queens county. Population estimates from July 1, 1998 from the U.S. Census Bureau were used to calculate these proportions.

Seven dummy records were created for the arrest data files and 523 dummy records were created for the crimes reported data files for counties not represented in the original FBI file. These county records provide only the state and county FIPS codes with the rest of the variables following county FIPS in the data file filled with zeros. No arrest data were provided for Florida, Kansas, Washington, D.C., and Wisconsin. Limited arrest data were available for Illinois, Kentucky, and New Hampshire. Limited crimes reported data were available for Alaska, Illinois, Kansas, Kentucky, Mississippi, Missouri, Montana, South Dakota, and Wisconsin.

One SPSS data definition statement file and one SAS data definition statement file are provided for the three arrest data files (all ages, adults, juveniles) and one SPSS data definition statement file and one SAS data definition statement file are provided for the crimes reported data file (crimes reported). One SPSS data definition statement file and one SAS data definition statement file are provided for the three allocated statewide data for arrests files and one SPSS data definition statement file and one SAS data definition statement file are provided for the allocated statewide data for crimes reported file. The arrest data files have 56 variables, the crimes reported data file has 21 variables, the allocated statewide data for arrests files have 57 variables and the allocated statewide data for crimes reported file has 22 variables. All data files contain 3,145 cases.

CODEBOOK FOR UCR COUNTY-LEVEL ARRESTS DATA 1998
(ICPSR 2910, Parts 1-3)

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
STUDYNO	ICPSR STUDY NUMBER-2910		1-4	4
EDITION	ICPSR EDITION NUMBER		5	1
PART	ICPSR PART NUMBER Part 1: Arrest Data, All Ages Part 2: Arrest Data, Adults Part 3: Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		24-26	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		27	1
COVIND	COVERAGE INDICATOR see Introduction		28-35	8.4
GRNDTOT	GRAND TOTAL Total number of arrests. Includes non-index crimes such as fraud, gambling, forgery, prostitution.		36-41	6
P1TOT	PART 1-TOTAL Total number of Part I (index) crimes. This is the sum of variables MURDER through ARSON.		42-47	6
P1VLNT	PART 1-VIOLENT CRIMES Sum of variables MURDER through AGASSLT.		48-52	5

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
P1PRPTY	PART 1-PROPERTY CRIMES Sum of variables BURGLRY through ARSON.		53-57	5
MURDER	MURDERS	011	58-61	4
RAPE	RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5
AGASSLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-80	5
LARCENY	LARCENIES	06	81-85	5
MVTHEFT	MOTOR VEHICLE THEFTS	07	86-90	5
ARSON	ARSONS	09	91-93	3
OTHASLT	OTHER ASSAULTS	08	94-98	5
FRGYCNT	FORGERY/COUNTERFEITING	10	99-102	4
FRAUD	FRAUD	11	103-107	5
EMBEZL	EMBEZZLEMENT	12	108-110	3
STLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	111-114	4
VANDLSM	VANDALISM	14	115-119	5
WEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	120-124	5
COMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	125-128	4
SEXOFF	SEX OFFENSES Not including forcible rape and prostitution.	17	129-132	4
DRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables DRGSALE and DRGPOSS.	18	133-137	5

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
DRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables COCSALE through OTHSALE.	180	138-142	5
COCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	143-147	5
MJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	148-151	4
SYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	152-155	4
OTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	156-160	4
DRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables COCPOSS through OTHPOSS.	185	161-165	5
COCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	166-170	5
MJPOSS	MARIJUANA-POSSESSION	18F	171-175	5
SYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	176-179	4
OTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	180-184	5
GAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables BOOKMKG through OTGAMBL.	19	185-188	4
BOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	189-191	3

Var #	Variable	FBI Offense Code	Columns	Width
NUMBERS	NUMBERS & LOTTERY	19B	192-194	3
OTGAMBL	GAMBLING-ALL OTHER	19C	195-198	4
OFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	199-202	4
DUI	DRIVING UNDER INFLUENCE	21	203-207	5
LIQUOR	LIQUOR LAW VIOLATIONS	22	208-212	5
DRUNK	DRUNKENNESS	23	213-217	5
DISORDR	DISORDERLY CONDUCT	24	218-222	5
VAGRANT	VAGRANCY	25	223-226	4
ALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	227-232	6
SUSPICN	SUSPICION	27	233-236	4
CURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	237-241	5
RUNAWAY	RUNAWAYS Juveniles only.	29	242-246	5

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR ARRESTS 1998
(ICPSR 2910, Parts 5-7)

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
STUDYNO	ICPSR STUDY NUMBER-2910		1-4	4
EDITION	ICPSR EDITION NUMBER		5	1
PART	ICPSR PART NUMBER Part 5: Statewide Arrest Data, All Ages Part 6: Statewide Arrest Data, Adults Part 7: Statewide Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION		16-23	8
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		35	1
SCOVIND	COVERAGE INDICATOR see Introduction		36-43	8.4
SGRNDTOT	GRAND TOTAL Total number of arrests. Includes non-index crimes such as fraud, gambling, forgery, prostitution.		44-49	6
SP1TOT	PART 1-TOTAL Total number of Part I (index) crimes. This is the sum of variables SMURDER through SARSON.		50-55	6

Var #	Variable	FBI Offense Code	Columns	Width
SP1VLNT	PART 1-VIOLENT CRIMES Sum of variables SMURDER through SAGASSLT.		56-60	5
SP1PRPTY	PART 1-PROPERTY CRIMES Sum of variables SBURGLRY through SARSON.		61-65	5
SMURDER	MURDERS	011	66-69	4
SRAPE	RAPES	02	70-73	4
SROBBERY	ROBBERIES	03	74-78	5
SAGASSLT	AGGRAVATED ASSAULTS	04	79-83	5
SBURGLRY	BURGLARIES	05	84-88	5
SLARCENY	LARCENIES	06	89-93	5
SMVTHEFT	MOTOR VEHICLE THEFTS	07	94-98	5
SARSON	ARSONS	09	99-101	3
SOTHASLT	OTHER ASSAULTS	08	102-106	5
SFRGYCNT	FORGERY/COUNTERFEITING	10	107-110	4
SFRAUD	FRAUD	11	111-115	5
SEMBEZL	EMBEZZLEMENT	12	116-118	3
SSTLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	119-122	4
SVANDLSM	VANDALISM	14	123-127	5
SWEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	128-132	5
SCOMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	133-136	4
SSEXOFF	SEX OFFENSES Not including forcible rape and prostitution.	17	137-140	4

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
SDRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables SDRGSALE and SDRGPOSS.	18	141-145	5
SDRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables SCOCSCALE through OTHSALE.	180	146-150	5
SCOCSCALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	151-155	5
SMJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	156-159	4
SSYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	160-163	4
SOTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	164-167	4
SDRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables SCOCPOSS and SOTHPOSS.	185	168-172	5
SCOCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	173-177	5
SMJPOSS	MARIJUANA-POSSESSION	18F	178-181	4
SSYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	182-184	3
SOTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	185-189	5

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
SGAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables SBOOKMKG through SOTGAMBL.	19	190-193	4
SBOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	194-196	3
SNUMBERS	NUMBERS & LOTTERY	19B	197-199	3
SOTGAMBL	GAMBLING-ALL OTHER	19C	200-203	4
SOFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	204-207	4
SDUI	DRIVING UNDER INFLUENCE	21	208-212	5
SLIQUOR	LIQUOR LAW VIOLATIONS	22	213-217	5
SDRUNK	DRUNKENNESS	23	218-222	5
SDISORDR	DISORDERLY CONDUCT	24	223-227	5
SVAGRANT	VAGRANCY	25	228-231	4
SALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	232-237	6
SSUSPICN	SUSPICION	27	238-241	4
SCURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	242-245	4
SRUNAWAY	RUNAWAYS Juveniles only.	29	246-250	5

CODEBOOK FOR UCR COUNTY-LEVEL CRIMES REPORTED DATA 1998
(ICPSR 2910, Part 4)

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
STUDYNO	ICPSR STUDY NUMBER-2910		1-4	4
EDITION	ICPSR EDITION NUMBER		5	1
PART	ICPSR PART NUMBER-4		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		35-37	3
COVIND	COVERAGE INDICATOR see Introduction		38-45	8.4
INDEX	INDEX Total number of UCR Index crimes, excluding arson. The sum of variables MURDER through MVTHEFT.		46-51	6
MODINDX	MODIFIED INDEX Total number of UCR Index crimes, including arson. The sum of variables MURDER through ARSON.		52-57	6
MURDER	MURDERS	011	58-61	4
RAPE	FORCIBLE RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5

Var #	Variable	FBI Offense Code	Columns	Width
AGASLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-81	6
LARCENY	LARCENIES	06	82-87	6
MVTHEFT	MOTOR VEHICLE THEFTS	07	88-93	6
ARSON	ARSONS	09	94-97	4

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR CRIMES REPORTED 1998
 (ICPSR 2910, Part 8)

Var #	Variable	FBI Offense Code	Columns	Width
<hr/>				
STUDYNO	ICPSR STUDY NUMBER-2910		1-4	4
EDITION	ICPSR EDITION NUMBER		5	1
PART	ICPSR PART NUMBER-8		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION OF AGENCIES REPORTING ARRESTS		16-23	8
SPOPCRIM	STATE POPULATION OF AGENCIES REPORTING CRIMES		24-31	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		32-38	7
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		39-41	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		42-44	3
COVIND	COVERAGE INDICATOR see Introduction		45-52	8.4
SINDEX	INDEX Total number of UCR Index crimes, excluding arson. The sum of variables SMURDER through SMVTHEFT.		53-58	6
SMODINDX	MODIFIED INDEX Total number of UCR Index crimes, including arson. The sum of variables SMURDER through SARSON.		59-64	6
SMURDER	MURDERS	011	65-68	4
SRAPE	FORCIBLE RAPES	02	69-72	4

Var #	Variable	FBI Offense Code	Columns	Width
SROBBERY	ROBBERIES	03	73-77	5
SAGASLT	AGGRAVATED ASSAULTS	04	78-82	5
SBURGLRY	BURGLARIES	05	83-88	6
SLARCENY	LARCENIES	06	89-94	6
SMVTHEFT	MOTOR VEHICLE THEFTS	07	95-100	6
SARSON	ARSONS	09	101-104	4

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

01	Alabama	01099	Monroe
	-----	01101	Montgomery
01001	Autauga	01103	Morgan
01003	Baldwin	01105	Perry
01005	Barbour	01107	Pickens
01007	Bibb	01109	Pike
01009	Blount	01111	Randolph
01011	Bullock	01113	Russell
01013	Butler	01115	St Clair
01015	Calhoun	01117	Shelby
01017	Chambers	01119	Sumter
01019	Cherokee	01121	Talladega
01021	Chilton	01123	Tallapoosa
01023	Choctaw	01125	Tuscaloosa
01025	Clarke	01127	Walker
01027	Clay	01129	Washington
01029	Cleburne	01131	Wilcox
01031	Coffee	01133	Winston
01033	Colbert	02	Alaska
01035	Conecuh		-----
01037	Coosa	02013	Aleutians East
01039	Covington	02016	Aleutians West
01041	Crenshaw	02020	Anchorage
01043	Cullman	02050	Bethel
01045	Dale	02060	Bristol Bay
01047	Dallas	02070	Dillingham
01049	De Kalb	02090	Fairbanks North Star
01051	Elmore	02100	Haines
01053	Escambia	02110	Juneau
01055	Etowah	02122	Kenai Peninsula
01057	Fayette	02130	Ketchikan Gateway
01059	Franklin	02150	Kodiak Island
01061	Geneva	02164	Lake and Peninsula
01063	Greene	02170	Matanuska-Susitna
01065	Hale	02180	Nome
01067	Henry	02185	North Slope
01069	Houston	02188	Northwest Arctic
01071	Jackson	02201	Prince of Wales-Outer Ketchikan
01073	Jefferson	02220	Sitka
01075	Lamar	02232	Skagway-Hoonah-Angoon
01077	Lauderdale	02240	Southeast Fairbanks
01079	Lawrence	02261	Valdez-Cordova
01081	Lee	02270	Wade Hampton
01083	Limestone	02280	Wrangell-Petersburg
01085	Lowndes	02282	Yakutat
01087	Macon	02290	Yukon-Koyukuk
01089	Madison		-----
01091	Marengo	04	Arizona
01093	Marion		-----
01095	Marshall	04001	Apache
01097	Mobile		

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

04003 Cochise	05071 Johnson
04005 Coconino	05073 Lafayette
04007 Gila	05075 Lawrence
04009 Graham	05077 Lee
04011 Greenlee	05079 Lincoln
04012 La Paz	05081 Little River
04013 Maricopa	05083 Logan
04015 Mohave	05085 Lonoke
04017 Navajo	05087 Madison
04019 Pima	05089 Marion
04021 Pinal	05091 Miller
04023 Santa Cruz	05093 Mississippi
04025 Yavapai	05095 Monroe
04027 Yuma	05097 Montgomery
05 Arkansas	05099 Nevada
-----	05101 Newton
05001 Arkansas	05103 Ouachita
05003 Ashley	05105 Perry
05005 Baxter	05107 Phillips
05007 Benton	05109 Pike
05009 Boone	05111 Poinsett
05011 Bradley	05113 Polk
05013 Calhoun	05115 Pope
05015 Carroll	05117 Prairie
05017 Chicot	05119 Pulaski
05019 Clark	05121 Randolph
05021 Clay	05123 St Francis
05023 Cleburne	05125 Saline
05025 Cleveland	05127 Scott
05027 Columbia	05129 Searcy
05029 Conway	05131 Sebastian
05031 Craighead	05133 Sevier
05033 Crawford	05135 Sharp
05035 Crittenden	05137 Stone
05037 Cross	05139 Union
05039 Dallas	05141 Van Buren
05041 Desha	05143 Washington
05043 Drew	05145 White
05045 Faulkner	05147 Woodruff
05047 Franklin	05149 Yell
05049 Fulton	06 California
05051 Garland	-----
05053 Grant	06001 Alameda
05055 Greene	06003 Alpine
05057 Hempstead	06005 Amador
05059 Hot Spring	06007 Butte
05061 Howard	06009 Calaveras
05063 Independence	06011 Colusa
05065 Izard	06013 Contra Costa
05067 Jackson	06015 Del Norte
05069 Jefferson	06017 El Dorado

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

06019	Fresno	
06021	Glenn	
06023	Humboldt	
06025	Imperial	08 Colorado
06027	Inyo	-----
06029	Kern	08001 Adams
06031	Kings	08003 Alamosa
06033	Lake	08005 Arapahoe
06035	Lassen	08007 Archuleta
06037	Los Angeles	08009 Baca
06039	Madera	08011 Bent
06041	Marin	08013 Boulder
06043	Mariposa	08015 Chaffee
06045	Mendocino	08017 Cheyenne
06047	Merced	08019 Clear Creek
06049	Modoc	08021 Conejos
06051	Mono	08023 Costilla
06053	Monterey	08025 Crowley
06055	Napa	08027 Custer
06057	Nevada	08029 Delta
06059	Orange	08031 Denver
06061	Placer	08033 Dolores
06063	Plumas	08035 Douglas
06065	Riverside	08037 Eagle
06067	Sacramento	08039 Elbert
06069	San Benito	08041 El Paso
06071	San Bernardino	08043 Fremont
06073	San Diego	08045 Garfield
06075	San Francisco	08047 Gilpin
06077	San Joaquin	08049 Grand
06079	San Luis Obispo	08051 Gunnison
06081	San Mateo	08053 Hinsdale
06083	Santa Barbara	08055 Huerfano
06085	Santa Clara	08057 Jackson
06087	Santa Cruz	08059 Jefferson
06089	Shasta	08061 Kiowa
06091	Sierra	08063 Kit Carson
06093	Siskiyou	08065 Lake
06095	Solano	08067 La Plata
06097	Sonoma	08069 Larimer
06099	Stanislaus	08071 Las Animas
06101	Sutter	08073 Lincoln
06103	Tehama	08075 Logan
06105	Trinity	08077 Mesa
06107	Tulare	08079 Mineral
06109	Tuolumne	08081 Moffat
06111	Ventura	08083 Montezuma
06113	Yolo	08085 Montrose
06115	Yuba	08087 Morgan

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

08089	Otero	12027	De Soto
08091	Ouray	12029	Dixie
08093	Park	12031	Duval
08095	Phillips	12033	Escambia
08097	Pitkin	12035	Flagler
08099	Prowers	12037	Franklin
08101	Pueblo	12039	Gadsden
08103	Rio Blanco	12041	Gilchrist
08105	Rio Grande	12043	Glades
08107	Routt	12045	Gulf
08109	Saguache	12047	Hamilton
08111	San Juan	12049	Hardee
08113	San Miguel	12051	Hendry
08115	Sedgwick	12053	Hernando
08117	Summit	12055	Highlands
08119	Teller	12057	Hillsborough
08121	Washington	12059	Holmes
08123	Weld	12061	Indian River
08125	Yuma	12063	Jackson
09	Connecticut	12065	Jefferson
-----		12067	Lafayette
09001	Fairfield	12069	Lake
09003	Hartford	12071	Lee
09005	Litchfield	12073	Leon
09007	Middlesex	12075	Levy
09009	New Haven	12077	Liberty
09011	New London	12079	Madison
09013	Tolland	12081	Manatee
09015	Windham	12083	Marion
10	Delaware	12085	Martin
-----		12086	Miami-Dade
10001	Kent	12087	Monroe
10003	New Castle	12089	Nassau
10005	Sussex	12091	Okaloosa
11	District of Columbia	12093	Okeechobee
-----		12095	Orange
11001	District of Columbia	12097	Osceola
12	Florida	12099	Palm Beach
-----		12101	Pasco
12001	Alachua	12103	Pinellas
12003	Baker	12105	Polk
12005	Bay	12107	Putnam
12007	Bradford	12109	St Johns
12009	Brevard	12111	St Lucie
12011	Broward	12113	Santa Rosa
12013	Calhoun	12115	Sarasota
12015	Charlotte	12117	Seminole
12017	Citrus	12119	Sumter
12019	Clay	12121	Suwannee
12021	Collier	12123	Taylor
12023	Columbia	12125	Union

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

12127	Volusia	13091	Dodge
12129	Wakulla	13093	Dooly
12131	Walton	13095	Dougherty
12133	Washington	13097	Douglas
13	Georgia	13099	Early
-----		13101	Echols
13001	Appling	13103	Effingham
13003	Atkinson	13105	Elbert
13005	Bacon	13107	Emanuel
13007	Baker	13109	Evans
13009	Baldwin	13111	Fannin
13011	Banks	13113	Fayette
13013	Barrow	13115	Floyd
13015	Bartow	13117	Forsyth
13017	Ben Hill	13119	Franklin
13019	Berrien	13121	Fulton
13021	Bibb	13123	Gilmer
13023	Bleckley	13125	Glascock
13025	Brantley	13127	Glynn
13027	Brooks	13129	Gordon
13029	Bryan	13131	Grady
13031	Bulloch	13133	Greene
13033	Burke	13135	Gwinnett
13035	Butts	13137	Habersham
13037	Calhoun	13139	Hall
13039	Camden	13141	Hancock
13043	Candler	13143	Haralson
13045	Carroll	13145	Harris
13047	Catoosa	13147	Hart
13049	Charlton	13149	Heard
13051	Chatham	13151	Henry
13053	Chattahoochee	13153	Houston
13055	Chattooga	13155	Irwin
13057	Cherokee	13157	Jackson
13059	Clarke	13159	Jasper
13061	Clay	13161	Jeff Davis
13063	Clayton	13163	Jefferson
13065	Clinch	13165	Jenkins
13067	Cobb	13167	Johnson
13069	Coffee	13169	Jones
13071	Colquitt	13171	Lamar
13073	Columbia	13173	Lanier
13075	Cook	13175	Laurens
13077	Coweta	13177	Lee
13079	Crawford	13179	Liberty
13081	Crisp	13181	Lincoln
13083	Dade	13183	Long
13085	Dawson	13185	Lowndes
13087	Decatur	13187	Lumpkin
13089	De Kalb	13189	McDuffie

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

13191	McIntosh	13295	Walker
13193	Macon	13297	Walton
13195	Madison	13299	Ware
13197	Marion	13301	Warren
13199	Meriwether	13303	Washington
13201	Miller	13305	Wayne
13205	Mitchell	13307	Webster
13207	Monroe	13309	Wheeler
13209	Montgomery	13311	White
13211	Morgan	13313	Whitfield
13213	Murray	13315	Wilcox
13215	Muscogee	13317	Wilkes
13217	Newton	13319	Wilkinson
13219	Ocnee	13321	Worth
13221	Oglethorpe	15	Hawaii
13223	Paulding	-----	
13225	Peach	15001	Hawaii
13227	Pickens	15003	Honolulu
13229	Pierce	15005	Kalawao
13231	Pike	15007	Kauai
13233	Polk	15009	Maui
13235	Pulaski	16	Idaho
13237	Putnam	-----	
13239	Quitman	16001	Ada
13241	Rabun	16003	Adams
13243	Randolph	16005	Bannock
13245	Richmond	16007	Bear Lake
13247	Rockdale	16009	Benewah
13249	Schley	16011	Bingham
13251	Screven	16013	Blaine
13253	Seminole	16015	Boise
13255	Spalding	16017	Bonner
13257	Stephens	16019	Bonneville
13259	Stewart	16021	Boundary
13261	Sumter	16023	Butte
13263	Talbot	16025	Camas
13265	Taliaferro	16027	Canyon
13267	Tattnall	16029	Caribou
13269	Taylor	16031	Cassia
13271	Telfair	16033	Clark
13273	Terrell	16035	Clearwater
13275	Thomas	16037	Custer
13277	Tift	16039	Elmore
13279	Toombs	16041	Franklin
13281	Towns	16043	Fremont
13283	Treutlen	16045	Gem
13285	Troup	16047	Gooding
13287	Turner	16049	Idaho
13289	Twiggs	16051	Jefferson
13291	Union	16053	Jerome
13293	Upson	16055	Kootenai

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

16057	Latah	17065	Hamilton
16059	Lemhi	17067	Hancock
16061	Lewis	17069	Hardin
16063	Lincoln	17071	Henderson
16065	Madison	17073	Henry
16067	Minidoka	17075	Iroquois
16069	Nez Perce	17077	Jackson
16071	Oneida	17079	Jasper
16073	Owyhee	17081	Jefferson
16075	Payette	17083	Jersey
16077	Power	17085	Jo Daviess
16079	Shoshone	17087	Johnson
16081	Teton	17089	Kane
16083	Twin Falls	17091	Kankakee
16085	Valley	17093	Kendall
16087	Washington	17095	Knox
17	Illinois	17097	Lake
-----		17099	La Salle
17001	Adams	17101	Lawrence
17003	Alexander	17103	Lee
17005	Bond	17105	Livingston
17007	Boone	17107	Logan
17009	Brown	17109	McDonough
17011	Bureau	17111	McHenry
17013	Calhoun	17113	McLean
17015	Carroll	17115	Macon
17017	Cass	17117	Macoupin
17019	Champaign	17119	Madison
17021	Christian	17121	Marion
17023	Clark	17123	Marshall
17025	Clay	17125	Mason
17027	Clinton	17127	Massac
17029	Coles	17129	Menard
17031	Cook	17131	Mercer
17033	Crawford	17133	Monroe
17035	Cumberland	17135	Montgomery
17037	De Kalb	17137	Morgan
17039	De Witt	17139	Moultrie
17041	Douglas	17141	Ogle
17043	Du Page	17143	Peoria
17045	Edgar	17145	Perry
17047	Edwards	17147	Piatt
17049	Effingham	17149	Pike
17051	Fayette	17151	Pope
17053	Ford	17153	Pulaski
17055	Franklin	17155	Putnam
17057	Fulton	17157	Randolph
17059	Gallatin	17159	Richland
17061	Greene	17161	Rock Island
17063	Grundy	17163	St Clair

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

17165	Saline	18057	Hamilton
17167	Sangamon	18059	Hancock
17169	Schuyler	18061	Harrison
17171	Scott	18063	Hendricks
17173	Shelby	18065	Henry
17175	Stark	18067	Howard
17177	Stephenson	18069	Huntington
17179	Tazewell	18071	Jackson
17181	Union	18073	Jasper
17183	Vermilion	18075	Jay
17185	Wabash	18077	Jefferson
17187	Warren	18079	Jennings
17189	Washington	18081	Johnson
17191	Wayne	18083	Knox
17193	White	18085	Kosciusko
17195	Whiteside	18087	Lagrange
17197	Will	18089	Lake
17199	Williamson	18091	La Porte
17201	Winnebago	18093	Lawrence
17203	Woodford	18095	Madison
18	Indiana	18097	Marion
-----		18099	Marshall
18001	Adams	18101	Martin
18003	Allen	18103	Miami
18005	Bartholomew	18105	Monroe
18007	Benton	18107	Montgomery
18009	Blackford	18109	Morgan
18011	Boone	18111	Newton
18013	Brown	18113	Noble
18015	Carroll	18115	Ohio
18017	Cass	18117	Orange
18019	Clark	18119	Owen
18021	Clay	18121	Parke
18023	Clinton	18123	Perry
18025	Crawford	18125	Pike
18027	Daviess	18127	Porter
18029	Dearborn	18129	Posey
18031	Decatur	18131	Pulaski
18033	De Kalb	18133	Putnam
18035	Delaware	18135	Randolph
18037	Dubois	18137	Ripley
18039	Elkhart	18139	Rush
18041	Fayette	18141	St Joseph
18043	Floyd	18143	Scott
18045	Fountain	18145	Shelby
18047	Franklin	18147	Spencer
18049	Fulton	18149	Starke
18051	Gibson	18151	Steuben
18053	Grant	18153	Sullivan
18055	Greene	18155	Switzerland

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

18157	Tippecanoe	19069	Franklin
18159	Tipton	19071	Fremont
18161	Union	19073	Greene
18163	Vanderburgh	19075	Grundy
18165	Vermillion	19077	Guthrie
18167	Vigo	19079	Hamilton
18169	Wabash	19081	Hancock
18171	Warren	19083	Hardin
18173	Warrick	19085	Harrison
18175	Washington	19087	Henry
18177	Wayne	19089	Howard
18179	Wells	19091	Humboldt
18181	White	19093	Ida
18183	Whitley	19095	Iowa
19	Iowa	19097	Jackson
<hr/>			
19001	Adair	19101	Jefferson
19003	Adams	19103	Johnson
19005	Allamakee	19105	Jones
19007	Appanoose	19107	Keokuk
19009	Audubon	19109	Kossuth
19011	Benton	19111	Lee
19013	Black Hawk	19113	Linn
19015	Boone	19115	Louisa
19017	Bremer	19117	Lucas
19019	Buchanan	19119	Lyon
19021	Buena Vista	19121	Madison
19023	Butler	19123	Mahaska
19025	Calhoun	19125	Marion
19027	Carroll	19127	Marshall
19029	Cass	19129	Mills
19031	Cedar	19131	Mitchell
19033	Cerro Gordo	19133	Monona
19035	Cherokee	19135	Monroe
19037	Chickasaw	19137	Montgomery
19039	Clarke	19139	Muscatine
19041	Clay	19141	O'Brien
19043	Clayton	19143	Osceola
19045	Clinton	19145	Page
19047	Crawford	19147	Palo Alto
19049	Dallas	19149	Plymouth
19051	Davis	19151	Pocahontas
19053	Decatur	19153	Polk
19055	Delaware	19155	Pottawattamie
19057	Des Moines	19157	Poweshiek
19059	Dickinson	19159	Ringgold
19061	Dubuque	19161	Sac
19063	Emmet	19163	Scott
19065	Fayette	19165	Shelby
19067	Floyd	19167	Sioux

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

19169	Story	20067	Grant
19171	Tama	20069	Gray
19173	Taylor	20071	Greeley
19175	Union	20073	Greenwood
19177	Van Buren	20075	Hamilton
19179	Wapello	20077	Harper
19181	Warren	20079	Harvey
19183	Washington	20081	Haskell
19185	Wayne	20083	Hodgeman
19187	Webster	20085	Jackson
19189	Winnebago	20087	Jefferson
19191	Winneshiek	20089	Jewell
19193	Woodbury	20091	Johnson
19195	Worth	20093	Kearny
19197	Wright	20095	Kingman
20	Kansas	20097	Kiowa

20001	Allen	20101	Lane
20003	Anderson	20103	Leavenworth
20005	Atchison	20105	Lincoln
20007	Barber	20107	Linn
20009	Barton	20109	Logan
20011	Bourbon	20111	Lyon
20013	Brown	20113	McPherson
20015	Butler	20115	Marion
20017	Chase	20117	Marshall
20019	Chautauqua	20119	Meade
20021	Cherokee	20121	Miami
20023	Cheyenne	20123	Mitchell
20025	Clark	20125	Montgomery
20027	Clay	20127	Morris
20029	Cloud	20129	Morton
20031	Coffey	20131	Nemaha
20033	Comanche	20133	Neosho
20035	Cowley	20135	Ness
20037	Crawford	20137	Norton
20039	Decatur	20139	Osage
20041	Dickinson	20141	Osborne
20043	Doniphan	20143	Ottawa
20045	Douglas	20145	Pawnee
20047	Edwards	20147	Phillips
20049	Elk	20149	Pottawatomie
20051	Ellis	20151	Pratt
20053	Ellsworth	20153	Rawlins
20055	Finney	20155	Reno
20057	Ford	20157	Republic
20059	Franklin	20159	Rice
20061	Geary	20161	Riley
20063	Gove	20163	Rooks
20065	Graham	20165	Rush

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

20167	Russell	21053	Clinton
20169	Saline	21055	Crittenden
20171	Scott	21057	Cumberland
20173	Sedgwick	21059	Daviess
20175	Seward	21061	Edmonson
20177	Shawnee	21063	Elliott
20179	Sheridan	21065	Estill
20181	Sherman	21067	Fayette
20183	Smith	21069	Fleming
20185	Stafford	21071	Floyd
20187	Stanton	21073	Franklin
20189	Stevens	21075	Fulton
20191	Sumner	21077	Gallatin
20193	Thomas	21079	Garrard
20195	Trego	21081	Grant
20197	Wabaunsee	21083	Graves
20199	Wallace	21085	Grayson
20201	Washington	21087	Green
20203	Wichita	21089	Greenup
20205	Wilson	21091	Hancock
20207	Woodson	21093	Hardin
20209	Wyandotte	21095	Harlan
21	Kentucky	21097	Harrison
-----		21099	Hart
21001	Adair	21101	Henderson
21003	Allen	21103	Henry
21005	Anderson	21105	Hickman
21007	Ballard	21107	Hopkins
21009	Barren	21109	Jackson
21011	Bath	21111	Jefferson
21013	Bell	21113	Jessamine
21015	Boone	21115	Johnson
21017	Bourbon	21117	Kenton
21019	Boyd	21119	Knott
21021	Boyle	21121	Knox
21023	Bracken	21123	Larue
21025	Breathitt	21125	Laurel
21027	Breckinridge	21127	Lawrence
21029	Bullitt	21129	Lee
21031	Butler	21131	Leslie
21033	Caldwell	21133	Letcher
21035	Calloway	21135	Lewis
21037	Campbell	21137	Lincoln
21039	Carlisle	21139	Livingston
21041	Carroll	21141	Logan
21043	Carter	21143	Lyon
21045	Casey	21145	McCracken
21047	Christian	21147	McCreary
21049	Clark	21149	McLean
21051	Clay	21151	Madison

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

21153	Magoffin	22009	Avoyelles
21155	Marion	22011	Beauregard
21157	Marshall	22013	Bienville
21159	Martin	22015	Bossier
21161	Mason	22017	Caddo
21163	Meade	22019	Calcasieu
21165	Menifee	22021	Caldwell
21167	Mercer	22023	Cameron
21169	Metcalfe	22025	Catahoula
21171	Monroe	22027	Claiborne
21173	Montgomery	22029	Concordia
21175	Morgan	22031	De Soto
21177	Muhlenberg	22033	East Baton Rouge
21179	Nelson	22035	East Carroll
21181	Nicholas	22037	East Feliciana
21183	Ohio	22039	Evangeline
21185	Oldham	22041	Franklin
21187	Owen	22043	Grant
21189	Owsley	22045	Iberia
21191	Pendleton	22047	Iberville
21193	Perry	22049	Jackson
21195	Pike	22051	Jefferson
21197	Powell	22053	Jefferson Davis
21199	Pulaski	22055	Lafayette
21201	Robertson	22057	Lafourche
21203	Rockcastle	22059	La Salle
21205	Rowan	22061	Lincoln
21207	Russell	22063	Livingston
21209	Scott	22065	Madison
21211	Shelby	22067	Morehouse
21213	Simpson	22069	Natchitoches
21215	Spencer	22071	Orleans
21217	Taylor	22073	Ouachita
21219	Todd	22075	Plaquemines
21221	Trigg	22077	Pointe Coupee
21223	Trimble	22079	Rapides
21225	Union	22081	Red River
21227	Warren	22083	Richland
21229	Washington	22085	Sabine
21231	Wayne	22087	St Bernard
21233	Webster	22089	St Charles
21235	Whitley	22091	St Helena
21237	Wolfe	22093	St James
21239	Woodford	22095	St John The Baptist
22	Louisiana (Parishes)	22097	St Landry
		22099	St Martin
22001	Acadia	22101	St Mary
22003	Allen	22103	St Tammany
22005	Ascension	22105	Tangipahoa
22007	Assumption	22107	Tensas

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

22109	Terrebonne	24043	Washington
22111	Union	24045	Wicomico
22113	Vermilion	24047	Worcester
22115	Vernon	24510	Baltimore city
22117	Washington	25	Massachusetts
22119	Webster	-----	
22121	West Baton Rouge	25001	Barnstable
22123	West Carroll	25003	Berkshire
22125	West Feliciana	25005	Bristol
22127	Winn	25007	Dukes
23	Maine	25009	Essex
	-----	25011	Franklin
23001	Androscoggin	25013	Hampden
23003	Aroostook	25015	Hampshire
23005	Cumberland	25017	Middlesex
23007	Franklin	25019	Nantucket
23009	Hancock	25021	Norfolk
23011	Kennebec	25023	Plymouth
23013	Knox	25025	Suffolk
23015	Lincoln	25027	Worcester
23017	Oxford	26	Michigan
23019	Penobscot	-----	
23021	Piscataquis	26001	Alcona
23023	Sagadahoc	26003	Alger
23025	Somerset	26005	Allegan
23027	Waldo	26007	Alpena
23029	Washington	26009	Antrim
23031	York	26011	Arenac
24	Maryland	26013	Baraga
	-----	26015	Barry
24001	Allegany	26017	Bay
24003	Anne Arundel	26019	Benzie
24005	Baltimore	26021	Berrien
24009	Calvert	26023	Branch
24011	Caroline	26025	Calhoun
24013	Carroll	26027	Cass
24015	Cecil	26029	Charlevoix
24017	Charles	26031	Cheboygan
24019	Dorchester	26033	Chippewa
24021	Frederick	26035	Clare
24023	Garrett	26037	Clinton
24025	Harford	26039	Crawford
24027	Howard	26041	Delta
24029	Kent	26043	Dickinson
24031	Montgomery	26045	Eaton
24033	Prince George's	26047	Emmet
24035	Queen Anne's	26049	Genesee
24037	St Mary's	26051	Gladwin
24039	Somerset	26053	Gogebic
24041	Talbot	26055	Grand Traverse

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

26057	Gratiot	26157	Tuscola
26059	Hillsdale	26159	Van Buren
26061	Houghton	26161	Washtenaw
26063	Huron	26163	Wayne
26065	Ingham	26165	Wexford
26067	Ionia	27	Minnesota
26069	Iosco	-----	
26071	Iron	27001	Aitkin
26073	Isabella	27003	Anoka
26075	Jackson	27005	Becker
26077	Kalamazoo	27007	Beltrami
26079	Kalkaska	27009	Benton
26081	Kent	27011	Big Stone
26083	Keweenaw	27013	Blue Earth
26085	Lake	27015	Brown
26087	Lapeer	27017	Carlton
26089	Leelanau	27019	Carver
26091	Lenawee	27021	Cass
26093	Livingston	27023	Chippewa
26095	Luce	27025	Chisago
26097	Mackinac	27027	Clay
26099	Macomb	27029	Clearwater
26101	Manistee	27031	Cook
26103	Marquette	27033	Cottonwood
26105	Mason	27035	Crow Wing
26107	Mecosta	27037	Dakota
26109	Menominee	27039	Dodge
26111	Midland	27041	Douglas
26113	Missaukee	27043	Faribault
26115	Monroe	27045	Fillmore
26117	Montcalm	27047	Freeborn
26119	Montmorency	27049	Goodhue
26121	Muskegon	27051	Grant
26123	Newaygo	27053	Hennepin
26125	Oakland	27055	Houston
26127	Oceana	27057	Hubbard
26129	Ogemaw	27059	Isanti
26131	Ontonagon	27061	Itasca
26133	Osceola	27063	Jackson
26135	Oscoda	27065	Kanabec
26137	Otsego	27067	Kandiyohi
26139	Ottawa	27069	Kittson
26141	Presque Isle	27071	Koochiching
26143	Roscommon	27073	Lac qui Parle
26145	Saginaw	27075	Lake
26147	St Clair	27077	Lake Of The Woods
26149	St Joseph	27079	Le Sueur
26151	Sanilac	27081	Lincoln
26153	Schoolcraft	27083	Lyon
26155	Shiawassee	27085	McLeod

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

27087	Mahnomen	28009	Benton
27089	Marshall	28011	Bolivar
27091	Martin	28013	Calhoun
27093	Meeker	28015	Carroll
27095	Mille Lacs	28017	Chickasaw
27097	Morrison	28019	Choctaw
27099	Mower	28021	Claiborne
27101	Murray	28023	Clarke
27103	Nicollet	28025	Clay
27105	Nobles	28027	Coahoma
27107	Norman	28029	Copiah
27109	Olmsted	28031	Covington
27111	Otter Tail	28033	De Soto
27113	Pennington	28035	Forrest
27115	Pine	28037	Franklin
27117	Pipestone	28039	George
27119	Polk	28041	Greene
27121	Pope	28043	Grenada
27123	Ramsey	28045	Hancock
27125	Red Lake	28047	Harrison
27127	Redwood	28049	Hinds
27129	Renville	28051	Holmes
27131	Rice	28053	Humphreys
27133	Rock	28055	Issaquena
27135	Roseau	28057	Itawamba
27137	St Louis	28059	Jackson
27139	Scott	28061	Jasper
27141	Sherburne	28063	Jefferson
27143	Sibley	28065	Jefferson Davis
27145	Stearns	28067	Jones
27147	Steele	28069	Kemper
27149	Stevens	28071	Lafayette
27151	Swift	28073	Lamar
27153	Todd	28075	Lauderdale
27155	Traverse	28077	Lawrence
27157	Wabasha	28079	Leake
27159	Wadena	28081	Lee
27161	Waseca	28083	Leflore
27163	Washington	28085	Lincoln
27165	Watsonwan	28087	Lowndes
27167	Wilkin	28089	Madison
27169	Winona	28091	Marion
27171	Wright	28093	Marshall
27173	Yellow Medicine	28095	Monroe
28	Mississippi	28097	Montgomery
-----		28099	Neshoba
28001	Adams	28101	Newton
28003	Alcorn	28103	Noxubee
28005	Amite	28105	Oktibbeha
28007	Attala	28107	Panola

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

28109	Pearl River	29041	Chariton
28111	Perry	29043	Christian
28113	Pike	29045	Clark
28115	Pontotoc	29047	Clay
28117	Prentiss	29049	Clinton
28119	Quitman	29051	Cole
28121	Rankin	29053	Cooper
28123	Scott	29055	Crawford
28125	Sharkey	29057	Dade
28127	Simpson	29059	Dallas
28129	Smith	29061	Daviess
28131	Stone	29063	De Kalb
28133	Sunflower	29065	Dent
28135	Tallahatchie	29067	Douglas
28137	Tate	29069	Dunklin
28139	Tippah	29071	Franklin
28141	Tishomingo	29073	Gasconade
28143	Tunica	29075	Gentry
28145	Union	29077	Greene
28147	Walthall	29079	Grundy
28149	Warren	29081	Harrison
28151	Washington	29083	Henry
28153	Wayne	29085	Hickory
28155	Webster	29087	Holt
28157	Wilkinson	29089	Howard
28159	Winston	29091	Howell
28161	Yalobusha	29093	Iron
28163	Yazoo	29095	Jackson
29	Missouri	29097	Jasper
-----		29099	Jefferson
29001	Adair	29101	Johnson
29003	Andrew	29103	Knox
29005	Atchison	29105	Laclede
29007	Audrain	29107	Lafayette
29009	Barry	29109	Lawrence
29011	Barton	29111	Lewis
29013	Bates	29113	Lincoln
29015	Benton	29115	Linn
29017	Bollinger	29117	Livingston
29019	Boone	29119	McDonald
29021	Buchanan	29121	Macon
29023	Butler	29123	Madison
29025	Caldwell	29125	Maries
29027	Callaway	29127	Marion
29029	Camden	29129	Mercer
29031	Cape Girardeau	29131	Miller
29033	Carroll	29133	Mississippi
29035	Carter	29135	Moniteau
29037	Cass	29137	Monroe
29039	Cedar	29139	Montgomery

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

29141	Morgan	30007	Broadwater
29143	New Madrid	30009	Carbon
29145	Newton	30011	Carter
29147	Nodaway	30013	Cascade
29149	Oregon	30015	Chouteau
29151	Osage	30017	Custer
29153	Ozark	30019	Daniels
29155	Pemiscot	30021	Dawson
29157	Perry	30023	Deer Lodge
29159	Pettis	30025	Fallon
29161	Phelps	30027	Fergus
29163	Pike	30029	Flathead
29165	Platte	30031	Gallatin
29167	Polk	30033	Garfield
29169	Pulaski	30035	Glacier
29171	Putnam	30037	Golden Valley
29173	Ralls	30039	Granite
29175	Randolph	30041	Hill
29177	Ray	30043	Jefferson
29179	Reynolds	30045	Judith Basin
29181	Ripley	30047	Lake
29183	St Charles	30049	Lewis and Clark
29185	St Clair	30051	Liberty
29186	Ste Genevieve	30053	Lincoln
29187	St Francois	30055	McCone
29189	St Louis	30057	Madison
29195	Saline	30059	Meagher
29197	Schuylerville	30061	Mineral
29199	Scotland	30063	Missoula
29201	Scott	30065	Musselshell
29203	Shannon	30067	Park
29205	Shelby	30069	Petroleum
29207	Stoddard	30071	Phillips
29209	Stone	30073	Pondera
29211	Sullivan	30075	Powder River
29213	Taney	30077	Powell
29215	Texas	30079	Prairie
29217	Vernon	30081	Ravalli
29219	Warren	30083	Richland
29221	Washington	30085	Roosevelt
29223	Wayne	30087	Rosebud
29225	Webster	30089	Sanders
29227	Worth	30091	Sheridan
29229	Wright	30093	Silver Bow
29510	St Louis city	30095	Stillwater
30	Montana	30097	Sweet Grass
-----		30099	Teton
30001	Beaverhead	30101	Toole
30003	Big Horn	30103	Treasure
30005	Blaine	30105	Valley

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

30107	Wheatland	31091	Hooker
30109	Wibaux	31093	Howard
30111	Yellowstone	31095	Jefferson
30113	Yellowstone National Park	31097	Johnson
31	Nebraska	31099	Kearney

31001	Adams	31101	Keith
31003	Antelope	31103	Keya Paha
31005	Arthur	31105	Kimball
31007	Banner	31107	Knox
31009	Blaine	31109	Lancaster
31011	Boone	31111	Lincoln
31013	Box Butte	31113	Logan
31015	Boyd	31115	Loup
31017	Brown	31117	McPherson
31019	Buffalo	31119	Madison
31021	Burt	31121	Merrick
31023	Butler	31123	Morrill
31025	Cass	31125	Nance
31027	Cedar	31127	Nemaha
31029	Chase	31129	Nuckolls
31031	Cherry	31131	Otoe
31033	Cheyenne	31133	Pawnee
31035	Clay	31135	Perkins
31037	Colfax	31137	Phelps
31039	Cuming	31139	Pierce
31041	Custer	31141	Platte
31043	Dakota	31143	Polk
31045	Dawes	31145	Red Willow
31047	Dawson	31147	Richardson
31049	Deuel	31149	Rock
31051	Dixon	31151	Saline
31053	Dodge	31153	Sarpy
31055	Douglas	31155	Saunders
31057	Dundy	31157	Scotts Bluff
31059	Fillmore	31159	Seward
31061	Franklin	31161	Sheridan
31063	Frontier	31163	Sherman
31065	Furnas	31165	Sioux
31067	Gage	31167	Stanton
31069	Garden	31169	Thayer
31071	Garfield	31171	Thomas
31073	Gosper	31173	Thurston
31075	Grant	31175	Valley
31077	Greeley	31177	Washington
31079	Hall	31179	Wayne
31081	Hamilton	31181	Webster
31083	Harlan	31183	Wheeler
31085	Hayes	31185	York
31087	Hitchcock	32	Nevada

31089	Holt	32001	Churchill

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

32003	Clark	35	New Mexico
32005	Douglas	-----	
32007	Elko	35001	Bernalillo
32009	Esmeralda	35003	Catron
32011	Eureka	35005	Chaves
32013	Humboldt	35006	Cibola
32015	Lander	35007	Colfax
32017	Lincoln	35009	Curry
32019	Lyon	35011	De Baca
32021	Mineral	35013	Dona Ana
32023	Nye	35015	Eddy
32027	Pershing	35017	Grant
32029	Storey	35019	Guadalupe
32031	Washoe	35021	Harding
32033	White Pine	35023	Hidalgo
32510	Carson City	35025	Lea
33	New Hampshire	35027	Lincoln
-----		35028	Los Alamos
33001	Belknap	35029	Luna
33003	Carroll	35031	McKinley
33005	Cheshire	35033	Mora
33007	Coos	35035	Otero
33009	Grafton	35037	Quay
33011	Hillsborough	35039	Rio Arriba
33013	Merrimack	35041	Roosevelt
33015	Rockingham	35043	Sandoval
33017	Strafford	35045	San Juan
33019	Sullivan	35047	San Miguel
34	New Jersey	35049	Santa Fe
-----		35051	Sierra
34001	Atlantic	35053	Socorro
34003	Bergen	35055	Taos
34005	Burlington	35057	Torrance
34007	Camden	35059	Union
34009	Cape May	35061	Valencia
34011	Cumberland	36	New York
34013	Essex	-----	
34015	Gloucester	36001	Albany
34017	Hudson	36003	Allegany
34019	Hunterdon	36005	Bronx
34021	Mercer	36007	Broome
34023	Middlesex	36009	Cattaraugus
34025	Monmouth	36011	Cayuga
34027	Morris	36013	Chautauqua
34029	Ocean	36015	Chemung
34031	Passaic	36017	Chenango
34033	Salem	36019	Clinton
34035	Somerset	36021	Columbia
34037	Sussex	36023	Cortland
34039	Union	36025	Delaware
34041	Warren	36027	Dutchess

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

36029	Erie	37001	Alamance
36031	Essex	37003	Alexander
36033	Franklin	37005	Alleghany
36035	Fulton	37007	Anson
36037	Genesee	37009	Ashe
36039	Greene	37011	Avery
36041	Hamilton	37013	Beaufort
36043	Herkimer	37015	Bertie
36045	Jefferson	37017	Bladen
36047	Kings	37019	Brunswick
36049	Lewis	37021	Buncombe
36051	Livingston	37023	Burke
36053	Madison	37025	Cabarrus
36055	Monroe	37027	Caldwell
36057	Montgomery	37029	Camden
36059	Nassau	37031	Carteret
36061	New York	37033	Caswell
36063	Niagara	37035	Catawba
36065	Oneida	37037	Chatham
36067	Onondaga	37039	Cherokee
36069	Ontario	37041	Chowan
36071	Orange	37043	Clay
36073	Orleans	37045	Cleveland
36075	Oswego	37047	Columbus
36077	Otsego	37049	Craven
36079	Putnam	37051	Cumberland
36081	Queens	37053	Currituck
36083	Rensselaer	37055	Dare
36085	Richmond	37057	Davidson
36087	Rockland	37059	Davie
36089	St Lawrence	37061	Duplin
36091	Saratoga	37063	Durham
36093	Schenectady	37065	Edgecombe
36095	Schoharie	37067	Forsyth
36097	Schuyler	37069	Franklin
36099	Seneca	37071	Gaston
36101	Steuben	37073	Gates
36103	Suffolk	37075	Graham
36105	Sullivan	37077	Granville
36107	Tioga	37079	Greene
36109	Tompkins	37081	Guilford
36111	Ulster	37083	Halifax
36113	Warren	37085	Harnett
36115	Washington	37087	Haywood
36117	Wayne	37089	Henderson
36119	Westchester	37091	Hertford
36121	Wyoming	37093	Hoke
36123	Yates	37095	Hyde
37	North Carolina	37097	Iredell
	-----	37099	Jackson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

37101	Johnston	38	North Dakota
37103	Jones		-----
37105	Lee	38001	Adams
37107	Lenoir	38003	Barnes
37109	Lincoln	38005	Benson
37111	McDowell	38007	Billings
37113	Macon	38009	Bottineau
37115	Madison	38011	Bowman
37117	Martin	38013	Burke
37119	Mecklenburg	38015	Burleigh
37121	Mitchell	38017	Cass
37123	Montgomery	38019	Cavalier
37125	Moore	38021	Dickey
37127	Nash	38023	Divide
37129	New Hanover	38025	Dunn
37131	Northampton	38027	Eddy
37133	Onslow	38029	Emmons
37135	Orange	38031	Foster
37137	Pamlico	38033	Golden Valley
37139	Pasquotank	38035	Grand Forks
37141	Pender	38037	Grant
37143	Perquimans	38039	Griggs
37145	Person	38041	Hettinger
37147	Pitt	38043	Kidder
37149	Polk	38045	La Moure
37151	Randolph	38047	Logan
37153	Richmond	38049	McHenry
37155	Robeson	38051	McIntosh
37157	Rockingham	38053	McKenzie
37159	Rowan	38055	McLean
37161	Rutherford	38057	Mercer
37163	Sampson	38059	Morton
37165	Scotland	38061	Mountrail
37167	Stanly	38063	Nelson
37169	Stokes	38065	Oliver
37171	Surry	38067	Pembina
37173	Swain	38069	Pierce
37175	Transylvania	38071	Ramsey
37177	Tyrrell	38073	Ransom
37179	Union	38075	Renville
37181	Vance	38077	Richland
37183	Wake	38079	Rolette
37185	Warren	38081	Sargent
37187	Washington	38083	Sheridan
37189	Watauga	38085	Sioux
37191	Wayne	38087	Slope
37193	Wilkes	38089	Stark
37195	Wilson	38091	Steele
37197	Yadkin	38093	Stutsman
37199	Yancey	38095	Towner

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

38097	Traill	39087	Lawrence
38099	Walsh	39089	Licking
38101	Ward	39091	Logan
38103	Wells	39093	Lorain
38105	Williams	39095	Lucas
39	Ohio	39097	Madison
-----		39099	Mahoning
39001	Adams	39101	Marion
39003	Allen	39103	Medina
39005	Ashland	39105	Meigs
39007	Ashtabula	39107	Mercer
39009	Athens	39109	Miami
39011	Auglaize	39111	Monroe
39013	Belmont	39113	Montgomery
39015	Brown	39115	Morgan
39017	Butler	39117	Morrow
39019	Carroll	39119	Muskingum
39021	Champaign	39121	Noble
39023	Clark	39123	Ottawa
39025	Clermont	39125	Paulding
39027	Clinton	39127	Perry
39029	Columbiana	39129	Pickaway
39031	Coshocton	39131	Pike
39033	Crawford	39133	Portage
39035	Cuyahoga	39135	Preble
39037	Darke	39137	Putnam
39039	Defiance	39139	Richland
39041	Delaware	39141	Ross
39043	Erie	39143	Sandusky
39045	Fairfield	39145	Scioto
39047	Fayette	39147	Seneca
39049	Franklin	39149	Shelby
39051	Fulton	39151	Stark
39053	Gallia	39153	Summit
39055	Geauga	39155	Trumbull
39057	Greene	39157	Tuscarawas
39059	Guernsey	39159	Union
39061	Hamilton	39161	Van Wert
39063	Hancock	39163	Vinton
39065	Hardin	39165	Warren
39067	Harrison	39167	Washington
39069	Henry	39169	Wayne
39071	Highland	39171	Williams
39073	Hocking	39173	Wood
39075	Holmes	39175	Wyandot
39077	Huron	40	Oklahoma
39079	Jackson	-----	
39081	Jefferson	40001	Adair
39083	Knox	40003	Alfalfa
39085	Lake	40005	Atoka

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

40007	Beaver	40107	Okfuskee
40009	Beckham	40109	Oklahoma
40011	Blaine	40111	Okmulgee
40013	Bryan	40113	Osage
40015	Caddo	40115	Ottawa
40017	Canadian	40117	Pawnee
40019	Carter	40119	Payne
40021	Cherokee	40121	Pittsburg
40023	Choctaw	40123	Pontotoc
40025	Cimarron	40125	Pottawatomie
40027	Cleveland	40127	Pushmataha
40029	Coal	40129	Roger Mills
40031	Comanche	40131	Rogers
40033	Cotton	40133	Seminole
40035	Craig	40135	Sequoyah
40037	Creek	40137	Stephens
40039	Custer	40139	Texas
40041	Delaware	40141	Tillman
40043	Dewey	40143	Tulsa
40045	Ellis	40145	Wagoner
40047	Garfield	40147	Washington
40049	Garvin	40149	Washita
40051	Grady	40151	Woods
40053	Grant	40153	Woodward
40055	Greer	41	Oregon
40057	Harmon	-----	
40059	Harper	41001	Baker
40061	Haskell	41003	Benton
40063	Hughes	41005	Clackamas
40065	Jackson	41007	Clatsop
40067	Jefferson	41009	Columbia
40069	Johnston	41011	Coos
40071	Kay	41013	Crook
40073	Kingfisher	41015	Curry
40075	Kiowa	41017	Deschutes
40077	Latimer	41019	Douglas
40079	Le Flore	41021	Gilliam
40081	Lincoln	41023	Grant
40083	Logan	41025	Harney
40085	Love	41027	Hood River
40087	McClain	41029	Jackson
40089	McCurtain	41031	Jefferson
40091	McIntosh	41033	Josephine
40093	Major	41035	Klamath
40095	Marshall	41037	Lake
40097	Mayes	41039	Lane
40099	Murray	41041	Lincoln
40101	Muskogee	41043	Linn
40103	Noble	41045	Malheur
40105	Nowata	41047	Marion

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

41049	Morrow	42073	Lawrence
41051	Multnomah	42075	Lebanon
41053	Polk	42077	Lehigh
41055	Sherman	42079	Luzerne
41057	Tillamook	42081	Lycoming
41059	Umatilla	42083	McKean
41061	Union	42085	Mercer
41063	Wallowa	42087	Mifflin
41065	Wasco	42089	Monroe
41067	Washington	42091	Montgomery
41069	Wheeler	42093	Montour
41071	Yamhill	42095	Northampton
42	Pennsylvania	42097	Northumberland
<hr/>			
42001	Adams	42099	Perry
42003	Allegheny	42101	Philadelphia
42005	Armstrong	42103	Pike
42007	Beaver	42105	Potter
42009	Bedford	42107	Schuylkill
42011	Berks	42109	Snyder
42013	Blair	42111	Somerset
42015	Bradford	42113	Sullivan
42017	Bucks	42115	Susquehanna
42019	Butler	42117	Tioga
42021	Cambria	42119	Union
42023	Cameron	42121	Venango
42025	Carbon	42123	Warren
42027	Centre	42125	Washington
42029	Chester	42127	Wayne
42031	Clarion	42129	Westmoreland
42033	Clearfield	42131	Wyoming
42035	Clinton	42133	York
42037	Columbia	44	Rhode Island
42039	Crawford	<hr/>	
42041	Cumberland	44001	Bristol
42043	Dauphin	44003	Kent
42045	Delaware	44005	Newport
42047	Elk	44007	Providence
42049	Erie	44009	Washington
42051	Fayette	45	South Carolina
42053	Forest	<hr/>	
42055	Franklin	45001	Abbeville
42057	Fulton	45003	Aiken
42059	Greene	45005	Allendale
42061	Huntingdon	45007	Anderson
42063	Indiana	45009	Bamberg
42065	Jefferson	45011	Barnwell
42067	Juniata	45013	Beaufort
42069	Lackawanna	45015	Berkeley
42071	Lancaster	45017	Calhoun
		45019	Charleston

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

45021	Cherokee	46027	Clay
45023	Chester	46029	Codington
45025	Chesterfield	46031	Corson
45027	Clarendon	46033	Custer
45029	Colleton	46035	Davison
45031	Darlington	46037	Day
45033	Dillon	46039	Deuel
45035	Dorchester	46041	Dewey
45037	Edgefield	46043	Douglas
45039	Fairfield	46045	Edmunds
45041	Florence	46047	Fall River
45043	Georgetown	46049	Faulk
45045	Greenville	46051	Grant
45047	Greenwood	46053	Gregory
45049	Hampton	46055	Haakon
45051	Horry	46057	Hamlin
45053	Jasper	46059	Hand
45055	Kershaw	46061	Hanson
45057	Lancaster	46063	Harding
45059	Laurens	46065	Hughes
45061	Lee	46067	Hutchinson
45063	Lexington	46069	Hyde
45065	McCormick	46071	Jackson
45067	Marion	46073	Jerauld
45069	Marlboro	46075	Jones
45071	Newberry	46077	Kingsbury
45073	Oconee	46079	Lake
45075	Orangeburg	46081	Lawrence
45077	Pickens	46083	Lincoln
45079	Richland	46085	Lyman
45081	Saluda	46087	McCook
45083	Spartanburg	46089	McPherson
45085	Sumter	46091	Marshall
45087	Union	46093	Meade
45089	Williamsburg	46095	Mellette
45091	York	46097	Miner
46	South Dakota	46099	Minnehaha
-----		46101	Moody
46003	Aurora	46103	Pennington
46005	Beadle	46105	Perkins
46007	Bennett	46107	Potter
46009	Bon Homme	46109	Roberts
46011	Brookings	46111	Sanborn
46013	Brown	46113	Shannon
46015	Brule	46115	Spink
46017	Buffalo	46117	Stanley
46019	Butte	46119	Sully
46021	Campbell	46121	Todd
46023	Charles Mix	46123	Tripp
46025	Clark	46125	Turner

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

46127	Union	47089	Jefferson
46129	Walworth	47091	Johnson
46135	Yankton	47093	Knox
46137	Ziebach	47095	Lake
47	Tennessee	47097	Lauderdale
-----		47099	Lawrence
47001	Anderson	47101	Lewis
47003	Bedford	47103	Lincoln
47005	Benton	47105	Loudon
47007	Bledsoe	47107	McMinn
47009	Blount	47109	McNairy
47011	Bradley	47111	Macon
47013	Campbell	47113	Madison
47015	Cannon	47115	Marion
47017	Carroll	47117	Marshall
47019	Carter	47119	Maury
47021	Cheatham	47121	Meigs
47023	Chester	47123	Monroe
47025	Claiborne	47125	Montgomery
47027	Clay	47127	Moore
47029	Cocke	47129	Morgan
47031	Coffee	47131	Obion
47033	Crockett	47133	Overton
47035	Cumberland	47135	Perry
47037	Davidson	47137	Pickett
47039	Decatur	47139	Polk
47041	De Kalb	47141	Putnam
47043	Dickson	47143	Rhea
47045	Dyer	47145	Roane
47047	Fayette	47147	Robertson
47049	Fentress	47149	Rutherford
47051	Franklin	47151	Scott
47053	Gibson	47153	Sequatchie
47055	Giles	47155	Sevier
47057	Grainger	47157	Shelby
47059	Greene	47159	Smith
47061	Grundy	47161	Stewart
47063	Hamblen	47163	Sullivan
47065	Hamilton	47165	Sumner
47067	Hancock	47167	Tipton
47069	Hardeman	47169	Trousdale
47071	Hardin	47171	Unicoi
47073	Hawkins	47173	Union
47075	Haywood	47175	Van Buren
47077	Henderson	47177	Warren
47079	Henry	47179	Washington
47081	Hickman	47181	Wayne
47083	Houston	47183	Weakley
47085	Humphreys	47185	White
47087	Jackson	47187	Williamson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

47189	Wilson	48095	Concho
48	Texas	48097	Cooke
-----		48099	Coryell
48001	Anderson	48101	Cottle
48003	Andrews	48103	Crane
48005	Angelina	48105	Crockett
48007	Aransas	48107	Crosby
48009	Archer	48109	Culberson
48011	Armstrong	48111	Dallam
48013	Atascosa	48113	Dallas
48015	Austin	48115	Dawson
48017	Bailey	48117	Deaf Smith
48019	Bandera	48119	Delta
48021	Bastrop	48121	Denton
48023	Baylor	48123	De Witt
48025	Bee	48125	Dickens
48027	Bell	48127	Dimmit
48029	Bexar	48129	Donley
48031	Blanco	48131	Duval
48033	Borden	48133	Eastland
48035	Bosque	48135	Ector
48037	Bowie	48137	Edwards
48039	Brazoria	48139	Ellis
48041	Brazos	48141	El Paso
48043	Brewster	48143	Erath
48045	Briscoe	48145	Falls
48047	Brooks	48147	Fannin
48049	Brown	48149	Fayette
48051	Burleson	48151	Fisher
48053	Burnet	48153	Floyd
48055	Caldwell	48155	Foard
48057	Calhoun	48157	Fort Bend
48059	Callahan	48159	Franklin
48061	Cameron	48161	Freestone
48063	Camp	48163	Frio
48065	Carson	48165	Gaines
48067	Cass	48167	Galveston
48069	Castro	48169	Garza
48071	Chambers	48171	Gillespie
48073	Cherokee	48173	Glasscock
48075	Childress	48175	Goliad
48077	Clay	48177	Gonzales
48079	Cochran	48179	Gray
48081	Coke	48181	Grayson
48083	Coleman	48183	Gregg
48085	Collin	48185	Grimes
48087	Collingsworth	48187	Guadalupe
48089	Colorado	48189	Hale
48091	Comal	48191	Hall
48093	Comanche	48193	Hamilton

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48195	Hansford	48295	Lipscomb
48197	Hardeman	48297	Live Oak
48199	Hardin	48299	Llano
48201	Harris	48301	Loving
48203	Harrison	48303	Lubbock
48205	Hartley	48305	Lynn
48207	Haskell	48307	McCulloch
48209	Hays	48309	McLennan
48211	Hemphill	48311	McMullen
48213	Henderson	48313	Madison
48215	Hidalgo	48315	Marion
48217	Hill	48317	Martin
48219	Hockley	48319	Mason
48221	Hood	48321	Matagorda
48223	Hopkins	48323	Maverick
48225	Houston	48325	Medina
48227	Howard	48327	Menard
48229	Hudspeth	48329	Midland
48231	Hunt	48331	Milam
48233	Hutchinson	48333	Mills
48235	Irion	48335	Mitchell
48237	Jack	48337	Montague
48239	Jackson	48339	Montgomery
48241	Jasper	48341	Moore
48243	Jeff Davis	48343	Morris
48245	Jefferson	48345	Motley
48247	Jim Hogg	48347	Nacogdoches
48249	Jim Wells	48349	Navarro
48251	Johnson	48351	Newton
48253	Jones	48353	Nolan
48255	Karnes	48355	Nueces
48257	Kaufman	48357	Ochiltree
48259	Kendall	48359	Oldham
48261	Kenedy	48361	Orange
48263	Kent	48363	Palo Pinto
48265	Kerr	48365	Panola
48267	Kimble	48367	Parker
48269	King	48369	Parmer
48271	Kinney	48371	Pecos
48273	Kleberg	48373	Polk
48275	Knox	48375	Potter
48277	Lamar	48377	Presidio
48279	Lamb	48379	Rains
48281	Lampasas	48381	Randall
48283	La Salle	48383	Reagan
48285	Lavaca	48385	Real
48287	Lee	48387	Red River
48289	Leon	48389	Reeves
48291	Liberty	48391	Refugio
48293	Limestone	48393	Roberts

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48395	Robertson	48495	Winkler
48397	Rockwall	48497	Wise
48399	Runnels	48499	Wood
48401	Rusk	48501	Yoakum
48403	Sabine	48503	Young
48405	San Augustine	48505	Zapata
48407	San Jacinto	48507	Zavala
48409	San Patricio	49	Utah
48411	San Saba	-----	
48413	Schleicher	49001	Beaver
48415	Scurry	49003	Box Elder
48417	Shackelford	49005	Cache
48419	Shelby	49007	Carbon
48421	Sherman	49009	Daggett
48423	Smith	49011	Davis
48425	Somervell	49013	Duchesne
48427	Starr	49015	Emery
48429	Stephens	49017	Garfield
48431	Sterling	49019	Grand
48433	Stonewall	49021	Iron
48435	Sutton	49023	Juab
48437	Swisher	49025	Kane
48439	Tarrant	49027	Millard
48441	Taylor	49029	Morgan
48443	Terrell	49031	Piute
48445	Terry	49033	Rich
48447	Throckmorton	49035	Salt Lake
48449	Titus	49037	San Juan
48451	Tom Green	49039	Sanpete
48453	Travis	49041	Sevier
48455	Trinity	49043	Summit
48457	Tyler	49045	Tooele
48459	Upshur	49047	Uintah
48461	Upton	49049	Utah
48463	Uvalde	49051	Wasatch
48465	Val Verde	49053	Washington
48467	Van Zandt	49055	Wayne
48469	Victoria	49057	Weber
48471	Walker	50	Vermont
48473	Waller	-----	
48475	Ward	50001	Addison
48477	Washington	50003	Bennington
48479	Webb	50005	Caledonia
48481	Wharton	50007	Chittenden
48483	Wheeler	50009	Essex
48485	Wichita	50011	Franklin
48487	Wilbarger	50013	Grand Isle
48489	Willacy	50015	Lamoille
48491	Williamson	50017	Orange
48493	Wilson	50019	Orleans

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

50021	Rutland	51091	Highland
50023	Washington	51093	Isle Of Wight
50025	Windham	51095	James City
50027	Windsor	51097	King and Queen
51	Virginia	51099	King George
-----		51101	King William
51001	Accomack	51103	Lancaster
51003	Albemarle	51105	Lee
51005	Alleghany	51107	Loudoun
51007	Amelia	51109	Louisa
51009	Amherst	51111	Lunenburg
51011	Appomattox	51113	Madison
51013	Arlington	51115	Mathews
51015	Augusta	51117	Mecklenburg
51017	Bath	51119	Middlesex
51019	Bedford	51121	Montgomery
51021	Bland	51125	Nelson
51023	Botetourt	51127	New Kent
51025	Brunswick	51131	Northampton
51027	Buchanan	51133	Northumberland
51029	Buckingham	51135	Nottoway
51031	Campbell	51137	Orange
51033	Caroline	51139	Page
51035	Carroll	51141	Patrick
51036	Charles City	51143	Pittsylvania
51037	Charlotte	51145	Powhatan
51041	Chesterfield	51147	Prince Edward
51043	Clarke	51149	Prince George
51045	Craig	51153	Prince William
51047	Culpeper	51155	Pulaski
51049	Cumberland	51157	Rappahannock
51051	Dickenson	51159	Richmond
51053	Dinwiddie	51161	Roanoke
51057	Essex	51163	Rockbridge
51059	Fairfax	51165	Rockingham
51061	Fauquier	51167	Russell
51063	Floyd	51169	Scott
51065	Fluvanna	51171	Shenandoah
51067	Franklin	51173	Smyth
51069	Frederick	51175	Southampton
51071	Giles	51177	Spotsylvania
51073	Gloucester	51179	Stafford
51075	Goochland	51181	Surry
51077	Grayson	51183	Sussex
51079	Greene	51185	Tazewell
51081	Greenville	51187	Warren
51083	Halifax	51191	Washington
51085	Hanover	51193	Westmoreland
51087	Henrico	51195	Wise
51089	Henry	51197	Wythe

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

51199	York	53013	Columbia
51510	Alexandria city	53015	Cowlitz
51515	Bedford city	53017	Douglas
51520	Bristol city	53019	Ferry
51530	Buena Vista city	53021	Franklin
51540	Charlottesville city	53023	Garfield
51550	Chesapeake city	53025	Grant
51560	Clifton Forge city	53027	Grays Harbor
51570	Colonial Heights city	53029	Island
51580	Covington city	53031	Jefferson
51590	Danville city	53033	King
51595	Emporia city	53035	Kitsap
51600	Fairfax city	53037	Kittitas
51610	Falls Church city	53039	Klickitat
51620	Franklin city	53041	Lewis
51630	Fredericksburg city	53043	Lincoln
51640	Galax city	53045	Mason
51650	Hampton city	53047	Okanogan
51660	Harrisonburg city	53049	Pacific
51670	Hopewell city	53051	Pend Oreille
51678	Lexington city	53053	Pierce
51680	Lynchburg city	53055	San Juan
51683	Manassas city	53057	Skagit
51685	Manassas Park city	53059	Skamania
51690	Martinsville city	53061	Snohomish
51700	Newport News city	53063	Spokane
51710	Norfolk city	53065	Stevens
51720	Norton city	53067	Thurston
51730	Petersburg city	53069	Wahkiakum
51735	Poquoson city	53071	Walla Walla
51740	Portsmouth city	53073	Whatcom
51750	Radford city	53075	Whitman
51760	Richmond city	53077	Yakima
51770	Roanoke city	54	West Virginia
51775	Salem city	-----	
51780	South Boston city	54001	Barbour
51790	Staunton city	54003	Berkeley
51800	Suffolk city	54005	Boone
51810	Virginia Beach city	54007	Braxton
51820	Waynesboro city	54009	Brooke
51830	Williamsburg city	54011	Cabell
51840	Winchester city	54013	Calhoun
53	Washington	54015	Clay
-----		54017	Doddridge
53001	Adams	54019	Fayette
53003	Asotin	54021	Gilmer
53005	Benton	54023	Grant
53007	Chelan	54025	Greenbrier
53009	Clallam	54027	Hampshire
53011	Clark	54029	Hancock

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

54031	Hardy	55017	Chippewa
54033	Harrison	55019	Clark
54035	Jackson	55021	Columbia
54037	Jefferson	55023	Crawford
54039	Kanawha	55025	Dane
54041	Lewis	55027	Dodge
54043	Lincoln	55029	Door
54045	Logan	55031	Douglas
54047	McDowell	55033	Dunn
54049	Marion	55035	Eau Claire
54051	Marshall	55037	Florence
54053	Mason	55039	Fond du Lac
54055	Mercer	55041	Forest
54057	Mineral	55043	Grant
54059	Mingo	55045	Green
54061	Monongalia	55047	Green Lake
54063	Monroe	55049	Iowa
54065	Morgan	55051	Iron
54067	Nicholas	55053	Jackson
54069	Ohio	55055	Jefferson
54071	Pendleton	55057	Juneau
54073	Pleasants	55059	Kenosha
54075	Pocahontas	55061	Keweenaw
54077	Preston	55063	La Crosse
54079	Putnam	55065	Lafayette
54081	Raleigh	55067	Langlade
54083	Randolph	55069	Lincoln
54085	Ritchie	55071	Manitowoc
54087	Roane	55073	Marathon
54089	Summers	55075	Marinette
54091	Taylor	55077	Marquette
54093	Tucker	55078	Menominee
54095	Tyler	55079	Milwaukee
54097	Upshur	55081	Monroe
54099	Wayne	55083	Oconto
54101	Webster	55085	Oneida
54103	Wetzel	55087	Outagamie
54105	Wirt	55089	Ozaukee
54107	Wood	55091	Pepin
54109	Wyoming	55093	Pierce
55	Wisconsin	55095	Polk
-----		55097	Portage
55001	Adams	55099	Price
55003	Ashland	55101	Racine
55005	Barron	55103	Richland
55007	Bayfield	55105	Rock
55009	Brown	55107	Rusk
55011	Buffalo	55109	St Croix
55013	Burnett	55111	Sauk
55015	Calumet	55113	Sawyer

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

55115 Shawano
55117 Sheboygan
55119 Taylor
55121 Trempealeau
55123 Vernon
55125 Vilas
55127 Walworth
55129 Washburn
55131 Washington
55133 Waukesha
55135 Waupaca
55137 Waushara
55139 Winnebago
55141 Wood
56 Wyoming

56001 Albany
56003 Big Horn
56005 Campbell
56007 Carbon
56009 Converse
56011 Crook
56013 Fremont
56015 Goshen
56017 Hot Springs
56019 Johnson
56021 Laramie
56023 Lincoln
56025 Natrona
56027 Niobrara
56029 Park
56031 Platte
56033 Sheridan
56035 Sublette
56037 Sweetwater
56039 Teton
56041 Uinta
56043 Washakie
56045 Weston