

ICPSR 30763

**Uniform Crime Reporting Program
Data: County-Level Detailed Arrest
and Offense Data, 2009**

*United States Department of Justice.
Office of Justice Programs. Federal
Bureau of Investigation*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30763/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

	no.
INTRODUCTION	
ICPSR Data Collection Description	i
Parts 1-3: Codebook for UCR County-Level Arrests Data	1
Parts 5-7: Codebook for Allocated Statewide Data for Arrests	5
Part 4: Codebook for UCR County-Level Crimes Reported Data	9
Part 8: Codebook for Allocated Statewide Data for Crimes Reported	11
APPENDIX	
FIPS Codes for UCR County-Level Data	13

ICPSR DATA COLLECTION DESCRIPTION

The UNIFORM CRIME REPORTING PROGRAM DATA [UNITED STATES]: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 2009 reports counts of arrests and offenses for the Uniform Crime Reports (UCR) index (Part I) crimes: murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson. The UCR County-level Arrest files also report arrests for additional (Part II) crimes such as forgery, fraud, vice offenses, and drug possession or sale. The data were originally collected by the Federal Bureau of Investigation (FBI) from reports submitted by agencies and states participating in the UCR Program. Each agency or jurisdiction is uniquely identified in the collection by the UCR Originating Agency Identifier (ORI). In describing this data collection the terms agency, jurisdiction, and ORI are used synonymously. Detailed discussions of reporting procedures are found in the UNIFORM CRIME REPORTING HANDBOOK (Washington, DC: U.S. Government Printing Office, 1980), and in the codebooks for the ICPSR's Agency-level UCR data collections (see ICPSR 9028).

It should be emphasized that, while UCR staff were consulted in developing the new adjustment procedures, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding these UCR county-level data files can contact the National Archive of Criminal Justice Data at the ICPSR.

BREAK IN SERIES

Two major changes to the UCR county-level files were implemented with the 1994 data and are continued through the 2009 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions has been adopted. Also, a new Coverage Indicator has been created to provide users with a diagnostic measure of aggregated data quality in a particular county. These developments are described in greater detail below. The changes were instituted in response to comments from a number of users and after almost a year of discussions by UCR file users, the FBI, the Bureau of Justice Statistics, and the Inter-university Consortium for Political and Social Research.

These changes result in a break in series from previous UCR county-level files. Data from earlier year files should not be compared to data from 1994 and subsequent years. Changes in procedures used to adjust for incomplete reporting at the ORI or jurisdiction level may be expected to have an impact on aggregates for counties in which some ORIs have not reported for all 12 months. However, the new adjustment procedures should result in county-level data that are less sensitive to changes between years in the extent of reporting by ORIs within a county. Consequently, data from 1994 forward should be more accurate estimates for longitudinal analysis.

CHANGES IN IMPUTATION PROCEDURES FOR INCOMPLETE REPORTING

IMPUTATION PROCEDURES USED FOR 1977-1993 UCR COUNTY-LEVEL FILES: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting six to 11 months were increased by a weight of [12/months reported]. Data for any ORI reporting less than 6 months were deleted from the county total, and the population served by that ORI was deleted from the county population total to help control for differential data quality across counties.

The aim of this procedure was to produce comparable data cross-sectionally across all counties. However, if there were major changes in the ORIs that reported in a county across years, artifactual changes in the longitudinal data for a county could be introduced because of potential variation in the type of ORIs used to compute imputed county totals and rates each year.

IMPUTATION PROCEDURES USED FOR 1994 UCR COUNTY-LEVEL FILES AND ONWARD: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting 3 to 11 months were increased by a weight of [12/months reported]. For ORIs reporting 0 to 2 months in the arrest files or 1 to 2 months in the crimes reported files, data for these ORIs were set to zero and then data were estimated using rates calculated from ORIs reporting 12 months of data located in the ORI's geographic stratum based on UCR Population Groups within their state. UCR Population Groups are defined as follows:

- | | |
|--|--|
| Population Group | |
| ----- | |
| 1) Cities 250,000 and over | |
| 2) Cities 100,000 - 249,999 | |
| 3) Cities 50,000 - 99,999 | |
| 4) Cities 25,000 - 49,999 | |
| 5) Cities 10,000 - 24,999 | |
| 6) Cities 2,500 - 9,999 | |
| 7) Cities under 2,500 | |
| 8) Non-MSA counties and non-MSA State Police | |
| 9) MSA counties and MSA State Police | |

There is an important distinction in estimation procedures for the arrest versus the crimes reported files. For the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting 0-2 months based on the procedures mentioned above. However, due to the structure of the original data received from the FBI, ICPSR was only able to estimate data for agencies reporting 1-2 months in the crimes reported files (Parts 4 and 8). No estimations are provided for agencies reporting 0 months. To assist users, the county population figures and number of agencies reporting for both the arrest and crimes reported data files were added to the crimes reported files. These variables provide users with information that can be used to

determine the proportion of the population or agencies not included in the crime reported files due to the absence of records for agencies reporting 0 months. Users should keep in mind these differences when doing their analyses.

COVERAGE INDICATOR

For releases of UCR county-level files before 1994, data from jurisdictions reporting less than 6 months of data were not included in county totals in an effort to ensure cross-sectional data comparability and quality. With the new procedures to adjust for incomplete reporting, data will be provided for each active ORI that reports less than 12 months of data, whether through weighting of partial year data or substitution of a value based on population group and state. Instead of exercising an a priori judgment that 6 months of data is the minimum threshold for acceptable data quality, a new Coverage Indicator variable has been created that will allow users to set their own threshold for acceptable data quality and to include or exclude data based on the standards they set themselves. The Coverage Indicator variable represents the proportion of county data that is reported for a given year. The indicator ranges from 0 to 100. A value of 0 indicates that no data for the county were reported and all data have been imputed. A value of 100 indicates that all ORIs in the county reported for all 12 months in the year.

Coverage Indicator is calculated as follows:

$$CI_x = 100 * (1 - \sum_i \{ [ORIPOP_i / COUNTYPOP] * [(12 - MONTHSREPORTED_i) / 12] \})$$

where
 CI = Coverage Indicator
 x = county
 i = ORI within county

Some ORIs do not have a population associated with their jurisdiction. These ORIs report for jurisdictions such as national parks, colleges and universities, toll bridges and tunnels, and most state police departments. As the coverage indicator is based on months of reporting and the population of each agency, this variable will not show estimation that did occur for statewide ORIs and for ORIs as listed above that do not have a population but reported 3 to 11 months of data. Conversely, the coverage indicator will indicate that estimation has occurred for ORIs with a population that reported 3 to 11 months of data even if the ORIs actually reported no crimes or arrests. Similarly, the coverage indicator will indicate that estimation had occurred for ORIs with a population that reported 0 to 2 months of arrest data and 1 to 2 months of crimes reported data, even though no rate was calculated to estimate data because of the lack of ORIs in the agency's geographic stratum reporting 12 months of data. Finally, since data for ORIs that reported 0 to 2 months of arrest and 1 to 2 months of crime are set to zero, users should be aware that no estimation of data was possible for ORIs in these categories without a population. In the crimes reported files, no estimation was possible for agencies

reporting 0 months because population figures for these agencies were not provided in the original files from the FBI.

COMPARING "CRIME IN THE UNITED STATES 2009" TO ICPSR 30763

"Crime in the United States 2009" is a publication prepared by the Federal Bureau of Investigation and provides estimations of national reported crime activity and arrest statistics from law enforcement agencies in the UCR Program. Users of this data collection prepared by ICPSR may not be able to match the statistics presented in "Crime in the United States 2009" due to several factors:

- (1) The UCR staff continue to update agency records when additions or corrections are received by the UCR Program. The FBI statistics presented in "Crime in the United States 2009" are based on the data that the FBI has received prior to their established publication deadlines. The data used by ICPSR to prepare the data in ICPSR 30763 may contain additions or corrections to the data submitted to the FBI after their publication deadline for producing "Crime in the United States 2009."
- (2) The new imputation algorithm that ICPSR implemented in 1994 approximates the estimation procedures that the FBI uses to adjust for incomplete or unreported data from individual law enforcement jurisdictions. Limited or no crime or arrest data were available for some states in 2009. For some tables in "Crime in the United States 2009" (for example, Section II, Table 2: Total Crime Counts in the United States, and Section IV, Table 29: Estimated Arrests), the FBI provided estimated crime counts and arrest totals for some of these states (see Appendix I -- Methodology for the FBI's estimation methods). The ICPSR algorithm estimates data for agencies reporting less than three months of data by calculating rates from agencies reporting 12 months of data located in the agency's geographic stratum within that state. Since data for these states were very limited or not present in the original data, estimates for the entire state could not be produced by ICPSR.
- (3) Some tables in "Crime in the United States 2009" were prepared using data only from agencies submitting complete reports for the 12 months for 2009 prior to the publication deadline (for example, Section IV, Table 69: Arrests by State). For this ICPSR data collection, all law enforcement agency records present in the original FBI data were used in the aggregation to the county level. County records with a coverage indicator value of 100 contain only 12-month reporting agencies (see last paragraph of the Coverage Indicator section in the Introduction for possible exceptions). Agencies reporting 12 months of data within a county with a coverage indicator value less than 100 cannot be separately identified in this dataset aggregated at the county level.

IDENTIFYING MISSING DATA

In this data collection, zeroes may represent both true zeroes or missing data, and it is possible to distinguish between the two. In the arrest files (Parts 1-3 and 5-7), the coverage indicator alone does not indicate whether or not zeroes are true or missing values. A county can have a coverage indicator of zero, but still contain arrest data. ICPSR can estimate arrest data for a county that did not report any arrests based on data for other counties of comparable population size in the same state that did report 12 months of data.

In order to distinguish true zeroes from missing values, the user has to look at the coverage indicator for a county in conjunction with the arrest variables. If an arrest variable for a particular county has a value of zero and the coverage indicator is greater than zero, then the arrest variable contains a true zero. This true zero is not necessarily a reported zero as it may have been estimated. If an arrest variable for a particular county has a value of zero and the coverage indicator for that county is zero, then the user must check the values of ALL of the arrest variables. If some arrest variables contain zeroes and some contain other values, then the zeroes for this county are true. If ALL arrest variables and the coverage indicator for the county in question contain zeroes, then these indicate missing data.

In the crimes reported file (Part 4), data can not be estimated for non-reporting agencies. Therefore, counties with no population for reporting agencies will also have a coverage indicator of zero and all crime variables will have a value of zero. These zeroes indicate missing data. If a county has one or more offense variables with a value of zero, but has a value of greater than zero for the population and coverage indicator variables, then the zeroes for these particular offense variables should be considered true zeroes for the purposes of analysis.

SUMMARY OF HOW TO IDENTIFY MISSING DATA

	ARREST FILES		CRIMES REPORTED
	Coverage indicator > 0		Coverage indicator > 0
	or		
TRUE	Coverage indicator = 0		
ZERO	AND at least one arrest		
	count variable > 0		
MISSING	Coverage indicator = 0		Coverage indicator = 0
DATA	AND all arrest count		AND all other crime count
	variables = 0		variables will necessarily = 0

NOTES ON FIPS CODES

Cities designated by the Census Bureau as independent cities are reported separately and have their own "county" codes (see Appendix). Some jurisdictions, such as state parks and some state police, provide data only on a statewide basis. In these cases, data are allocated to counties proportionate to their share of the total state population. Parts 5 to 8 contain the amount of statewide data allocated to each county. To obtain the county total without the statewide allocation, the statewide values can be subtracted from the county data.

State Police data for Vermont were not reported within a county and the State Police data for Alaska and Connecticut are not allocated to the counties. These three State Police records are identified by the county code 999. In the 1997 data and onward another 999 county code was added to these data files. The New York/New Jersey Port Authority reported data in 1997 through two agencies, one in New York and one in New Jersey. The FBI included the New York Port Authority agency as part of New York county. However, the FBI did not assign a UCR county code for the New Jersey Port Authority and did not provide a population figure for the area covered by this jurisdiction. Therefore, the New Jersey/New York Port Authority (NJNYPOA) is a separate record in the data files from 1997 onward with a county code of 999. New York City Metro Transportation Authority (NY03083) is a separate record from 2007 onward with a county code of 999. From 2008, tribal agencies began to report offense data. Data for those agencies in each state will be in one record identified by the county code of 777.

ICPSR uses FIPS Publication 6-4 "Counties and Equivalent Entities of the United States, Its Possessions, and Associated Areas" from the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, as a reference for assigning FIPS codes for the counties in this data collection. ICPSR consults this publication annually to note changes in FIPS codes that may affect this collection.

The borough of Denali, Alaska (FIPS code 02068) was created from part of the Yukon-Koyukuk Census Area (FIPS code 02290) and unpopulated part of the Southeast Fairbanks Census Area (FIPS code 02240) effective December 7, 1990. The Denali Borough is NOT a record in the data. However, since no agency record from Denali was present in the original FBI data for either the arrest or crimes reported files, no data are missing from the ICPSR data.

In May 1995, NIST announced that the independent city of South Boston, Virginia reverted to town status and became part of Halifax County as of June 30, 1995. The Virginia FIPS county code of 780 no longer exists and South Boston is included in FIPS county code 083. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from South Boston with Halifax County.

In July 1999, NIST announced that Yellowstone National Park, which had been treated as a county equivalent, is legally part of Gallatin County and Park County, Montana. Yellowstone National Park was left as

a county equivalent in this data collection to remain consistent with earlier years.

In July 1999, NIST announced that as of November 13, 1993 Dade County, Florida officially changed its name to Miami-Dade County. The county was assigned a new FIPS code (086) to maintain the alphanumeric sequence of counties. In the 1997 data collection and onward, ICPSR also changed the Miami-Dade county code from 025 to 086 to match the change in the FIPS publication. However, the 1993-1996 UCR county-level data collections still used the old name and FIPS county code.

In July 2001, NIST announced that the independent city (county-equivalent) of Clifton Forge, Virginia, had reverted to town status, effective midnight, July 1, 2001. Clifton Forge is now an incorporated place within Alleghany County, rather than a separate county-equivalent surrounded by Alleghany County. This action will reduce the number of Virginia independent cities to 39 and the number of United States counties and equivalent areas to 3,141. The action reduces the total number of independent cities in the United States to 42. The FIPS county code of 560 for Clifton Forge, Virginia, is deleted. The FIPS-55 class code will change from C7 to C1. The census place code of 0285 and FIPS-55 code of 17440 are unaffected. The FIPS county code of 005 for Alleghany County remains unchanged. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from Clifton Forge with Alleghany County.

In January 2002, NIST announced that Broomfield County, Colorado, had been created from parts of Adams (001), Boulder (013), Jefferson (059), and Weld (123) counties effective November 15, 2001. The boundaries of Broomfield County reflect the boundaries of Broomfield city legally in effect on November 15, 2001. To maintain the alphanumeric sequence of counties, Broomfield County will have a code of 014 for FIPS 6-4, Counties and Equivalent Entities of the United States, Its Possessions and Associated Areas. ICPSR created county code 014 for Broomfield County to match the change in the FIPS publication.

ADDITIONAL NOTES

In the UCR county-level arrest files, the population and data for jurisdictions located in multiple counties are provided only in the county containing the largest population component of the jurisdiction. Counties containing smaller population components of multiple-county jurisdictions will contain no population or arrest data for these jurisdictions. Data in counties affected by one or more multiple-county jurisdictions are indicated by a multi-county jurisdiction flag variable. In the county-level crimes reported files, the population and crime data for jurisdictions located in multiple counties are provided by the UCR proportioned to each county (maximum of three) in which the jurisdiction is located.

Drunkenness (FBI offense code 23) is not considered a crime in some states. States that do not consider drunkenness a crime, but which report data through the NIBRS system, such as North Dakota, may show arrest data for the offense in this data collection. This is because drunkenness may be listed as an incident in the NIBRS reporting system, even though there was technically no arrest in these states. Agencies in states where drunkenness is not a crime may use their own discretion in reporting drunkenness as an incident. Users should exercise caution when analyzing this variable because of these differences in reporting.

The original data from the FBI contain one record for New York City. Data from New York City are allocated into New York City's five counties on the basis of the proportion of the population in each county. For example, the population for Queens county is divided by the total population of New York City and the resulting proportion is multiplied with data from each of New York City's arrest and offense categories to apportion data to Queens county. Population estimates for July 1, 2009 from the U.S. Census Bureau were used to calculate these proportions. The population of Goodlettsville City, Tennessee is proportioned to both Davidson County and Sumner County. Population estimates for July 1, 2002 from the U.S. Census Bureau were used to calculate the population breakdown of Goodlettsville, Tennessee.

Six dummy records were created for the arrest data files and 95 dummy records were created for the crimes reported data files for counties not represented in the original FBI file. These county records provide only the state and county FIPS codes with the rest of the variables following county FIPS in the data file filled with zeros. No arrest data were provided for Florida. Limited arrest data were available for Illinois. Limited crimes reported data were available for Alaska, Illinois, Mississippi, Montana, North Dakota, and South Dakota.

One SPSS data definition statement file and one SAS data definition statement file are provided for the one arrest data file (all ages) and one SPSS data definition statement file and one SAS data definition statement file are provided for the crimes reported data file (crimes reported). One SPSS data definition statement file and one SAS data definition statement file are provided for the one allocated statewide data for arrests files and one SPSS data definition statement file and one SAS data definition statement file are provided for the allocated statewide data for crimes reported file. The arrest data file has 56 variables, the crimes reported data file has 21 variables, the allocated statewide data for arrests file has 57 variables and the allocated statewide data for crimes reported file has 22 variables. All data files contain 3,177 cases.

CODEBOOK FOR UCR COUNTY-LEVEL ARRESTS DATA 2009
(ICPSR 30763, Parts 1-3)

Var #	Variable	FBI	Columns	Width
		Offense Code		
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed., 2011		5	1
PART	ICPSR PART NUMBER Part 1: Arrest Data, All Ages Part 2: Arrest Data, Adults Part 3: Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		24-26	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		27	1
COVIND	COVERAGE INDICATOR see Introduction		28-35	8.4
GRNDTOT	GRAND TOTAL Total number of arrests. Includes non-index crimes such as fraud, gambling, forgery, prostitution.		36-41	6
P1TOT	PART 1-TOTAL Total number of Part I (index) crimes. This is the sum of variables MURDER through ARSON.		42-47	6
P1VLNT	PART 1-VIOLENT CRIMES Sum of variables MURDER through AGASSLT.		48-52	5

Var #	Variable	FBI Offense Code	Columns	Width
P1PRPTY	PART 1-PROPERTY CRIMES Sum of variables BURGLRY through ARSON.		53-57	5
MURDER	MURDERS	011	58-61	4
RAPE	RAPES Includes: Forcible Rape of a female by a male, and attempts to commit Forcible Rape of a female by a male. Excludes: Other Sex Offenses such as Sodomy, Statutory Rape (no force), Incest, and attempts to commit any of the above. (See SEXOFF), Prostitution and Commercialized Vice (See COMVICE).	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5
AGASSLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-80	5
LARCENY	LARCENIES	06	81-85	5
MVTHEFT	MOTOR VEHICLE THEFTS	07	86-90	5
ARSON	ARSONS	09	91-93	3
OTHASLT	OTHER ASSAULTS	08	94-98	5
FRGYZCNT	FORGERY/COUNTERFEITING	10	99-102	4
FRAUD	FRAUD	11	103-107	5
EMBEZL	EMBEZZLEMENT	12	108-110	3
STLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	111-114	4
VANDLSM	VANDALISM	14	115-119	5
WEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	120-124	5
COMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	125-128	4

Var #	Variable	FBI Offense Code	Columns	Width
SEXOFF	SEX OFFENSES Includes: Forcible Sodomy, Forcible Sex with an Object, Forcible Fondling, Statutory Rape (no force), Incest, and attempts to commit any of the above. Victims can be male or female. See the UCR Handbook (www.fbi.gov/about-us/cjis/ucr/additional-ucr-publications/ucr_handbook.pdf) for more details. Excludes: Forcible Rape (See RAPE), Prostitution and Commercialized Vice (See COMVICE).	17	129-132	4
DRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables DRGSALE and DRGPOSS.	18	133-137	5
DRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables COCSALE through OTHSALE.	180	138-142	5
COCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	143-147	5
MJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	148-151	4
SYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	152-155	4
OTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	156-160	4
DRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables COCPOSS through OTHPOSS.	185	161-165	5

Var #	Variable	FBI Offense Code	Columns	Width
COCPoss	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	166-170	5
MJPOSS	MARIJUANA-POSSESSION	18F	171-175	5
SYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	176-179	4
OTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	180-184	5
GAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables BOOKMKG through OTGAMBL.	19	185-188	4
BOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	189-191	3
NUMBERS	NUMBERS & LOTTERY	19B	192-194	3
OTGAMBL	GAMBLING-ALL OTHER	19C	195-198	4
OFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	199-202	4
DUI	DRIVING UNDER INFLUENCE	21	203-207	5
LIQUOR	LIQUOR LAW VIOLATIONS	22	208-212	5
DRUNK	DRUNKENNESS	23	213-217	5
DISORDR	DISORDERLY CONDUCT	24	218-222	5
VAGRANT	VAGRANCY	25	223-226	4
ALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	227-232	6
SUSPICN	SUSPICION	27	233-236	4
CURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	237-241	5
RUNAWAY	RUNAWAYS Juveniles only.	29	242-246	5

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR ARRESTS 2009
(ICPSR 30763, Parts 5-7)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed., 2011		5	1
PART	ICPSR PART NUMBER Part 5: Statewide Arrest Data, All Ages Part 6: Statewide Arrest Data, Adults Part 7: Statewide Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION		16-23	8
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		35	1
SCOVIND	COVERAGE INDICATOR see Introduction		36-43	8.4
SGRNDTOT	GRAND TOTAL Total number of arrests. Includes non-index crimes such as fraud, gambling, forgery, prostitution.		44-49	6
SP1TOT	PART 1-TOTAL Total number of Part I (index) crimes. This is the sum of variables SMURDER through SARSON.		50-55	6

Var #	Variable	FBI Offense Code	Columns	Width
SP1VLNT	PART 1-VIOLENT CRIMES Sum of variables SMURDER through SAGASSLT.		56-60	5
SP1PRPTY	PART 1-PROPERTY CRIMES Sum of variables SBURGLRY through SARSON.		61-65	5
SMURDER	MURDERS	011	66-69	4
SRAPE	RAPES Includes: Forcible Rape of a female by a male, and attempts to commit Forcible Rape of a female by a male. Excludes: Other Sex Offenses such as Sodomy, Statutory Rape (no force), Incest, and attempts to commit any of the above. (See SSEXOFF), Prostitution and Commercialized Vice (See SCOMVICE).	02	70-73	4
SROBBERY	ROBBERIES	03	74-78	5
SAGASSLT	AGGRAVATED ASSAULTS	04	79-83	5
SBURGLRY	BURGLARIES	05	84-88	5
SLARCENY	LARCENIES	06	89-93	5
SMVTHEFT	MOTOR VEHICLE THEFTS	07	94-98	5
SARSON	ARSONS	09	99-101	3
SOTHASLT	OTHER ASSAULTS	08	102-106	5
SFRGYZCNT	FORGERY/COUNTERFEITING	10	107-110	4
SFRAUD	FRAUD	11	111-115	5
SEMBEZL	EMBEZZLEMENT	12	116-118	3
SSTLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	119-122	4
SVANDLSM	VANDALISM	14	123-127	5
SWEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	128-132	5

Var #	Variable	FBI Offense Code	Columns	Width
SCOMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	133-136	4
SSEXOFF	SEX OFFENSES Includes: Forcible Sodomy, Forcible Sex with an Object, Forcible Fondling, Statutory Rape (no force), Incest, and attempts to commit any of the above. Victims can be male or female. See the UCR Handbook (www.fbi.gov/about-us/cjis/ucr/additional-ucr-publications/ucr_handbook.pdf) for more details. Excludes: Forcible Rape (See SRAPE), Prostitution and Commercialized Vice (See SCOMVICE).	17	137-140	4
SDRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables SDRGSALE and SDRGPOSS.	18	141-145	5
SDRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables SCOCSCALE through OTHSALE.	180	146-150	5
SCOCSCALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	151-155	5
SMJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	156-159	4
SSYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	160-163	4
SOTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	164-167	4
SDRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables SCOCPOSS and SOTHPOSS.	185	168-172	5

Var #	Variable	FBI Offense Code	Columns	Width
SCOCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	173-177	5
SMJPOSS	MARIJUANA-POSSESSION	18F	178-181	4
SSYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	182-184	3
SOTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	185-189	5
SGAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables SBOOKMKG through SOTGAMBL.	19	190-193	4
SBOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	194-196	3
SNUMBERS	NUMBERS & LOTTERY	19B	197-199	3
SOTGAMBL	GAMBLING-ALL OTHER	19C	200-203	4
SOFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	204-207	4
SDUI	DRIVING UNDER INFLUENCE	21	208-212	5
SLIQUOR	LIQUOR LAW VIOLATIONS	22	213-217	5
SDRUNK	DRUNKENNESS	23	218-222	5
SDISORDR	DISORDERLY CONDUCT	24	223-227	5
SVAGRANT	VAGRANCY	25	228-231	4
SALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	232-237	6
SSUSPICN	SUSPICION	27	238-241	4
SCURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	242-245	4
SRUNAWAY	RUNAWAYS Juveniles only.	29	246-250	5

CODEBOOK FOR UCR COUNTY-LEVEL CRIMES REPORTED DATA 2009
(ICPSR 30763, Part 4)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed., 2011		5	1
PART	ICPSR PART NUMBER-4		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		35-37	3
COVIND	COVERAGE INDICATOR see Introduction		38-45	8.4
INDEX	INDEX Total number of UCR Index crimes, excluding arson. The sum of variables MURDER through MVTHEFT.		46-51	6
MODINDX	MODIFIED INDEX Total number of UCR Index crimes, including arson. The sum of variables MURDER through ARSON.		52-57	6
MURDER	MURDERS	011	58-61	4
RAPE	FORCIBLE RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5

Var #	Variable	FBI Offense Code	Columns	Width
AGASLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-81	6
LARCENY	LARCENIES	06	82-87	6
MVTHEFT	MOTOR VEHICLE THEFTS	07	88-93	6
ARSON	ARSONS	09	94-97	4

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR CRIMES REPORTED 2009
(ICPSR 30763, Part 8)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 1st ed., 2011		5	1
PART	ICPSR PART NUMBER-8		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION OF AGENCIES REPORTING ARRESTS		16-23	8
SPOPCRIM	STATE POPULATION OF AGENCIES REPORTING CRIMES		24-31	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		32-38	7
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		39-41	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		42-44	3
COVIND	COVERAGE INDICATOR see Introduction		45-52	8 . 4
SINDEX	INDEX Total number of UCR Index crimes, excluding arson. The sum of variables SMURDER through SMVTHEFT.		53-58	6
SMODINDX	MODIFIED INDEX Total number of UCR Index crimes, including arson. The sum of variables SMURDER through SARSON.		59-64	6
SMURDER	MURDERS	011	65-68	4
SRAPE	FORCIBLE RAPES	02	69-72	4

Var #	Variable	FBI		
		Offense	Code	Columns

SROBBERY	ROBBERIES	03	73-77	5
SAGASLT	AGGRAVATED ASSAULTS	04	78-82	5
SBURGLRY	BURGLARIES	05	83-88	6
SLARCENY	LARCENIES	06	89-94	6
SMVTHEFT	MOTOR VEHICLE THEFTS	07	95-100	6
SARSON	ARSONS	09	101-104	4

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

01	Alabama	01097	Mobile
-----		01099	Monroe
01001	Autauga	01101	Montgomery
01003	Baldwin	01103	Morgan
01005	Barbour	01105	Perry
01007	Bibb	01107	Pickens
01009	Blount	01109	Pike
01011	Bullock	01111	Randolph
01013	Butler	01113	Russell
01015	Calhoun	01115	St Clair
01017	Chambers	01117	Shelby
01019	Cherokee	01119	Sumter
01021	Chilton	01121	Talladega
01023	Choctaw	01123	Tallapoosa
01025	Clarke	01125	Tuscaloosa
01027	Clay	01127	Walker
01029	Cleburne	01129	Washington
01031	Coffee	01131	Wilcox
01033	Colbert	01133	Winston
01035	Conecuh	02	Alaska
01037	Coosa	-----	
01039	Covington	02013	Aleutians East
01041	Crenshaw	02016	Aleutians West
01043	Cullman	02020	Anchorage
01045	Dale	02050	Bethel
01047	Dallas	02060	Bristol Bay
01049	De Kalb	02070	Dillingham
01051	Elmore	02090	Fairbanks North Star
01053	Escambia	02100	Haines
01055	Etowah	02110	Juneau
01057	Fayette	02122	Kenai Peninsula
01059	Franklin	02130	Ketchikan Gateway
01061	Geneva	02150	Kodiak Island
01063	Greene	02164	Lake and Peninsula
01065	Hale	02170	Matanuska-Susitna
01067	Henry	02180	Nome
01069	Houston	02185	North Slope
01071	Jackson	02188	Northwest Arctic
01073	Jefferson	02201	Prince of Wales-Outer Ketchikan
01075	Lamar	02220	Sitka
01077	Lauderdale	02232	Skagway-Hoonah-Angoon
01079	Lawrence	02240	Southeast Fairbanks
01081	Lee	02261	Valdez-Cordova
01083	Limestone	02270	Wade Hampton
01085	Lowndes	02280	Wrangell-Petersburg
01087	Macon	02282	Yakutat
01089	Madison	02290	Yukon-Koyukuk
01091	Marengo		
01093	Marion		
01095	Marshall		

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

04	Arizona	05061	Howard
-----		05063	Independence
04001	Apache	05065	Izard
04003	Cochise	05067	Jackson
04005	Coconino	05069	Jefferson
04007	Gila	05071	Johnson
04009	Graham	05073	Lafayette
04011	Greenlee	05075	Lawrence
04012	La Paz	05077	Lee
04013	Maricopa	05079	Lincoln
04015	Mohave	05081	Little River
04017	Navajo	05083	Logan
04019	Pima	05085	Lonoke
04021	Pinal	05087	Madison
04023	Santa Cruz	05089	Marion
04025	Yavapai	05091	Miller
04027	Yuma	05093	Mississippi
05	Arkansas	05095	Monroe
-----		05097	Montgomery
05001	Arkansas	05099	Nevada
05003	Ashley	05101	Newton
05005	Baxter	05103	Ouachita
05007	Benton	05105	Perry
05009	Boone	05107	Phillips
05011	Bradley	05109	Pike
05013	Calhoun	05111	Poinsett
05015	Carroll	05113	Polk
05017	Chicot	05115	Pope
05019	Clark	05117	Prairie
05021	Clay	05119	Pulaski
05023	Cleburne	05121	Randolph
05025	Cleveland	05123	St Francis
05027	Columbia	05125	Saline
05029	Conway	05127	Scott
05031	Craighead	05129	Searcy
05033	Crawford	05131	Sebastian
05035	Crittenden	05133	Sevier
05037	Cross	05135	Sharp
05039	Dallas	05137	Stone
05041	Desha	05139	Union
05043	Drew	05141	Van Buren
05045	Faulkner	05143	Washington
05047	Franklin	05145	White
05049	Fulton	05147	Woodruff
05051	Garland	05149	Yell
05053	Grant	06	California
05055	Greene	-----	
05057	Hempstead	06001	Alameda
05059	Hot Spring	06003	Alpine

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

06005 Amador	06105 Trinity
06007 Butte	06107 Tulare
06009 Calaveras	06109 Tuolumne
06011 Colusa	06111 Ventura
06013 Contra Costa	06113 Yolo
06015 Del Norte	06115 Yuba
06017 El Dorado	
06019 Fresno	08 Colorado
06021 Glenn	-----
06023 Humboldt	08001 Adams
06025 Imperial	08003 Alamosa
06027 Inyo	08005 Arapahoe
06029 Kern	08007 Archuleta
06031 Kings	08009 Baca
06033 Lake	08011 Bent
06035 Lassen	08013 Boulder
06037 Los Angeles	08014 Broomfield
06039 Madera	08015 Chaffee
06041 Marin	08017 Cheyenne
06043 Mariposa	08019 Clear Creek
06045 Mendocino	08021 Conejos
06047 Merced	08023 Costilla
06049 Modoc	08025 Crowley
06051 Mono	08027 Custer
06053 Monterey	08029 Delta
06055 Napa	08031 Denver
06057 Nevada	08033 Dolores
06059 Orange	08035 Douglas
06061 Placer	08037 Eagle
06063 Plumas	08039 Elbert
06065 Riverside	08041 El Paso
06067 Sacramento	08043 Fremont
06069 San Benito	08045 Garfield
06071 San Bernardino	08047 Gilpin
06073 San Diego	08049 Grand
06075 San Francisco	08051 Gunnison
06077 San Joaquin	08053 Hinsdale
06079 San Luis Obispo	08055 Huerfano
06081 San Mateo	08057 Jackson
06083 Santa Barbara	08059 Jefferson
06085 Santa Clara	08061 Kiowa
06087 Santa Cruz	08063 Kit Carson
06089 Shasta	08065 Lake
06091 Sierra	08067 La Plata
06093 Siskiyou	08069 Larimer
06095 Solano	08071 Las Animas
06097 Sonoma	08073 Lincoln
06099 Stanislaus	08075 Logan
06101 Sutter	08077 Mesa
06103 Tehama	08079 Mineral

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

08081	Moffat	12007	Bradford
08083	Montezuma	12009	Brevard
08085	Montrose	12011	Broward
08087	Morgan	12013	Calhoun
08089	Otero	12015	Charlotte
08091	Ouray	12017	Citrus
08093	Park	12019	Clay
08095	Phillips	12021	Collier
08097	Pitkin	12023	Columbia
08099	Prowers	12027	De Soto
08101	Pueblo	12029	Dixie
08103	Rio Blanco	12031	Duval
08105	Rio Grande	12033	Escambia
08107	Routt	12035	Flagler
08109	Saguache	12037	Franklin
08111	San Juan	12039	Gadsden
08113	San Miguel	12041	Gilchrist
08115	Sedgwick	12043	Glades
08117	Summit	12045	Gulf
08119	Teller	12047	Hamilton
08121	Washington	12049	Hardee
08123	Weld	12051	Hendry
08125	Yuma	12053	Hernando
		12055	Highlands
09	Connecticut	12057	Hillsborough
	-----	12059	Holmes
09001	Fairfield	12061	Indian River
09003	Hartford	12063	Jackson
09005	Litchfield	12065	Jefferson
09007	Middlesex	12067	Lafayette
09009	New Haven	12069	Lake
09011	New London	12071	Lee
09013	Tolland	12073	Leon
09015	Windham	12075	Levy
		12077	Liberty
10	Delaware	12079	Madison
	-----	12081	Manatee
10001	Kent	12083	Marion
10003	New Castle	12085	Martin
10005	Sussex	12086	Miami-Dade
		12087	Monroe
11	District of Columbia	12089	Nassau
	-----	12091	Okaloosa
11001	District of Columbia	12093	Okeechobee
		12095	Orange
12	Florida	12097	Osceola
	-----	12099	Palm Beach
12001	Alachua	12101	Pasco
12003	Baker	12103	Pinellas
12005	Bay	12105	Polk

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

12107	Putnam	13069	Coffee
12109	St Johns	13071	Colquitt
12111	St Lucie	13073	Columbia
12113	Santa Rosa	13075	Cook
12115	Sarasota	13077	Coweta
12117	Seminole	13079	Crawford
12119	Sumter	13081	Crisp
12121	Suwannee	13083	Dade
12123	Taylor	13085	Dawson
12125	Union	13087	Decatur
12127	Volusia	13089	De Kalb
12129	Wakulla	13091	Dodge
12131	Walton	13093	Dooly
12133	Washington	13095	Dougherty
		13097	Douglas
13	Georgia	13099	Early
-----		13101	Echols
13001	Appling	13103	Effingham
13003	Atkinson	13105	Elbert
13005	Bacon	13107	Emanuel
13007	Baker	13109	Evans
13009	Baldwin	13111	Fannin
13011	Banks	13113	Fayette
13013	Barrow	13115	Floyd
13015	Bartow	13117	Forsyth
13017	Ben Hill	13119	Franklin
13019	Berrien	13121	Fulton
13021	Bibb	13123	Gilmer
13023	Bleckley	13125	Glascock
13025	Brantley	13127	Glynn
13027	Brooks	13129	Gordon
13029	Bryan	13131	Grady
13031	Bulloch	13133	Greene
13033	Burke	13135	Gwinnett
13035	Butts	13137	Habersham
13037	Calhoun	13139	Hall
13039	Camden	13141	Hancock
13043	Candler	13143	Haralson
13045	Carroll	13145	Harris
13047	Catoosa	13147	Hart
13049	Charlton	13149	Heard
13051	Chatham	13151	Henry
13053	Chattahoochee	13153	Houston
13055	Chattooga	13155	Irwin
13057	Cherokee	13157	Jackson
13059	Clarke	13159	Jasper
13061	Clay	13161	Jeff Davis
13063	Clayton	13163	Jefferson
13065	Clinch	13165	Jenkins
13067	Cobb	13167	Johnson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

13169	Jones	13271	Telfair
13171	Lamar	13273	Terrell
13173	Lanier	13275	Thomas
13175	Laurens	13277	Tift
13177	Lee	13279	Toombs
13179	Liberty	13281	Towns
13181	Lincoln	13283	Treutlen
13183	Long	13285	Troup
13185	Lowndes	13287	Turner
13187	Lumpkin	13289	Twiggs
13189	McDuffie	13291	Union
13191	McIntosh	13293	Upson
13193	Macon	13295	Walker
13195	Madison	13297	Walton
13197	Marion	13299	Ware
13199	Meriwether	13301	Warren
13201	Miller	13303	Washington
13205	Mitchell	13305	Wayne
13207	Monroe	13307	Webster
13209	Montgomery	13309	Wheeler
13211	Morgan	13311	White
13213	Murray	13313	Whitfield
13215	Muscogee	13315	Wilcox
13217	Newton	13317	Wilkes
13219	Oconee	13319	Wilkinson
13221	Oglethorpe	13321	Worth
13223	Paulding		
13225	Peach	15	Hawaii
13227	Pickens	-----	
13229	Pierce	15001	Hawaii
13231	Pike	15003	Honolulu
13233	Polk	15005	Kalawao
13235	Pulaski	15007	Kauai
13237	Putnam	15009	Maui
13239	Quitman		
13241	Rabun	16	Idaho
13243	Randolph	-----	
13245	Richmond	16001	Ada
13247	Rockdale	16003	Adams
13249	Schley	16005	Bannock
13251	Screven	16007	Bear Lake
13253	Seminole	16009	Benewah
13255	Spalding	16011	Bingham
13257	Stephens	16013	Blaine
13259	Stewart	16015	Boise
13261	Sumter	16017	Bonner
13263	Talbot	16019	Bonneville
13265	Taliaferro	16021	Boundary
13267	Tattnall	16023	Butte
13269	Taylor	16025	Camas

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

16027	Canyon	17033	Crawford
16029	Caribou	17035	Cumberland
16031	Cassia	17037	De Kalb
16033	Clark	17039	De Witt
16035	Clearwater	17041	Douglas
16037	Custer	17043	Du Page
16039	Elmore	17045	Edgar
16041	Franklin	17047	Edwards
16043	Fremont	17049	Effingham
16045	Gem	17051	Fayette
16047	Gooding	17053	Ford
16049	Idaho	17055	Franklin
16051	Jefferson	17057	Fulton
16053	Jerome	17059	Gallatin
16055	Kootenai	17061	Greene
16057	Latah	17063	Grundy
16059	Lemhi	17065	Hamilton
16061	Lewis	17067	Hancock
16063	Lincoln	17069	Hardin
16065	Madison	17071	Henderson
16067	Minidoka	17073	Henry
16069	Nez Perce	17075	Iroquois
16071	Oneida	17077	Jackson
16073	Owyhee	17079	Jasper
16075	Payette	17081	Jefferson
16077	Power	17083	Jersey
16079	Shoshone	17085	Jo Daviess
16081	Teton	17087	Johnson
16083	Twin Falls	17089	Kane
16085	Valley	17091	Kankakee
16087	Washington	17093	Kendall
		17095	Knox
17	Illinois	17097	Lake
-----		17099	La Salle
17001	Adams	17101	Lawrence
17003	Alexander	17103	Lee
17005	Bond	17105	Livingston
17007	Boone	17107	Logan
17009	Brown	17109	McDonough
17011	Bureau	17111	McHenry
17013	Calhoun	17113	McLean
17015	Carroll	17115	Macon
17017	Cass	17117	Macoupin
17019	Champaign	17119	Madison
17021	Christian	17121	Marion
17023	Clark	17123	Marshall
17025	Clay	17125	Mason
17027	Clinton	17127	Massac
17029	Coles	17129	Menard
17031	Cook	17131	Mercer

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

17133	Monroe	18023	Clinton
17135	Montgomery	18025	Crawford
17137	Morgan	18027	Daviess
17139	Moultrie	18029	Dearborn
17141	Ogle	18031	Decatur
17143	Peoria	18033	De Kalb
17145	Perry	18035	Delaware
17147	Piatt	18037	Dubois
17149	Pike	18039	Elkhart
17151	Pope	18041	Fayette
17153	Pulaski	18043	Floyd
17155	Putnam	18045	Fountain
17157	Randolph	18047	Franklin
17159	Richland	18049	Fulton
17161	Rock Island	18051	Gibson
17163	St Clair	18053	Grant
17165	Saline	18055	Greene
17167	Sangamon	18057	Hamilton
17169	Schuylerville	18059	Hancock
17171	Scott	18061	Harrison
17173	Shelby	18063	Hendricks
17175	Stark	18065	Henry
17177	Stephenson	18067	Howard
17179	Tazewell	18069	Huntington
17181	Union	18071	Jackson
17183	Vermilion	18073	Jasper
17185	Wabash	18075	Jay
17187	Warren	18077	Jefferson
17189	Washington	18079	Jennings
17191	Wayne	18081	Johnson
17193	White	18083	Knox
17195	Whiteside	18085	Kosciusko
17197	Will	18087	Lagrange
17199	Williamson	18089	Lake
17201	Winnebago	18091	La Porte
17203	Woodford	18093	Lawrence
18	Indiana	18095	Madison
-----		18097	Marion
18001	Adams	18099	Marshall
18003	Allen	18101	Martin
18005	Bartholomew	18103	Miami
18007	Benton	18105	Monroe
18009	Blackford	18107	Montgomery
18011	Boone	18109	Morgan
18013	Brown	18111	Newton
18015	Carroll	18113	Noble
18017	Cass	18115	Ohio
18019	Clark	18117	Orange
18021	Clay	18119	Owen
		18121	Parke

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

18123	Perry	19033	Cerro Gordo
18125	Pike	19035	Cherokee
18127	Porter	19037	Chickasaw
18129	Posey	19039	Clarke
18131	Pulaski	19041	Clay
18133	Putnam	19043	Clayton
18135	Randolph	19045	Clinton
18137	Ripley	19047	Crawford
18139	Rush	19049	Dallas
18141	St Joseph	19051	Davis
18143	Scott	19053	Decatur
18145	Shelby	19055	Delaware
18147	Spencer	19057	Des Moines
18149	Starke	19059	Dickinson
18151	Steuben	19061	Dubuque
18153	Sullivan	19063	Emmet
18155	Switzerland	19065	Fayette
18157	Tippecanoe	19067	Floyd
18159	Tipton	19069	Franklin
18161	Union	19071	Fremont
18163	Vanderburgh	19073	Greene
18165	Vermillion	19075	Grundy
18167	Vigo	19077	Guthrie
18169	Wabash	19079	Hamilton
18171	Warren	19081	Hancock
18173	Warrick	19083	Hardin
18175	Washington	19085	Harrison
18177	Wayne	19087	Henry
18179	Wells	19089	Howard
18181	White	19091	Humboldt
18183	Whitley	19093	Ida
		19095	Iowa
19	Iowa	19097	Jackson
-----		19099	Jasper
19001	Adair	19101	Jefferson
19003	Adams	19103	Johnson
19005	Allamakee	19105	Jones
19007	Appanoose	19107	Keokuk
19009	Audubon	19109	Kossuth
19011	Benton	19111	Lee
19013	Black Hawk	19113	Linn
19015	Boone	19115	Louisa
19017	Bremer	19117	Lucas
19019	Buchanan	19119	Lyon
19021	Buena Vista	19121	Madison
19023	Butler	19123	Mahaska
19025	Calhoun	19125	Marion
19027	Carroll	19127	Marshall
19029	Cass	19129	Mills
19031	Cedar	19131	Mitchell

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

19133	Monona	20029	Cloud
19135	Monroe	20031	Coffey
19137	Montgomery	20033	Comanche
19139	Muscatine	20035	Cowley
19141	O'Brien	20037	Crawford
19143	Osceola	20039	Decatur
19145	Page	20041	Dickinson
19147	Palo Alto	20043	Doniphan
19149	Plymouth	20045	Douglas
19151	Pocahontas	20047	Edwards
19153	Polk	20049	Elk
19155	Pottawattamie	20051	Ellis
19157	Poweshiek	20053	Ellsworth
19159	Ringgold	20055	Finney
19161	Sac	20057	Ford
19163	Scott	20059	Franklin
19165	Shelby	20061	Geary
19167	Sioux	20063	Gove
19169	Story	20065	Graham
19171	Tama	20067	Grant
19173	Taylor	20069	Gray
19175	Union	20071	Greeley
19177	Van Buren	20073	Greenwood
19179	Wapello	20075	Hamilton
19181	Warren	20077	Harper
19183	Washington	20079	Harvey
19185	Wayne	20081	Haskell
19187	Webster	20083	Hodgeman
19189	Winnebago	20085	Jackson
19191	Winneshiek	20087	Jefferson
19193	Woodbury	20089	Jewell
19195	Worth	20091	Johnson
19197	Wright	20093	Kearny
20	Kansas	20095	Kingman
-----		20097	Kiowa
		20099	Labette
20001	Allen	20101	Lane
20003	Anderson	20103	Leavenworth
20005	Atchison	20105	Lincoln
20007	Barber	20107	Linn
20009	Barton	20109	Logan
20011	Bourbon	20111	Lyon
20013	Brown	20113	McPherson
20015	Butler	20115	Marion
20017	Chase	20117	Marshall
20019	Chautauqua	20119	Meade
20021	Cherokee	20121	Miami
20023	Cheyenne	20123	Mitchell
20025	Clark	20125	Montgomery
20027	Clay	20127	Morris

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

20129	Morton	21013	Bell
20131	Nemaha	21015	Boone
20133	Neosho	21017	Bourbon
20135	Ness	21019	Boyd
20137	Norton	21021	Boyle
20139	Osage	21023	Bracken
20141	Osborne	21025	Breathitt
20143	Ottawa	21027	Breckinridge
20145	Pawnee	21029	Bullitt
20147	Phillips	21031	Butler
20149	Pottawatomie	21033	Caldwell
20151	Pratt	21035	Calloway
20153	Rawlins	21037	Campbell
20155	Reno	21039	Carlisle
20157	Republic	21041	Carroll
20159	Rice	21043	Carter
20161	Riley	21045	Casey
20163	Rooks	21047	Christian
20165	Rush	21049	Clark
20167	Russell	21051	Clay
20169	Saline	21053	Clinton
20171	Scott	21055	Crittenden
20173	Sedgwick	21057	Cumberland
20175	Seward	21059	Daviess
20177	Shawnee	21061	Edmonson
20179	Sheridan	21063	Elliott
20181	Sherman	21065	Estill
20183	Smith	21067	Fayette
20185	Stafford	21069	Fleming
20187	Stanton	21071	Floyd
20189	Stevens	21073	Franklin
20191	Sumner	21075	Fulton
20193	Thomas	21077	Gallatin
20195	Trego	21079	Garrard
20197	Wabaunsee	21081	Grant
20199	Wallace	21083	Graves
20201	Washington	21085	Grayson
20203	Wichita	21087	Green
20205	Wilson	21089	Greenup
20207	Woodson	21091	Hancock
20209	Wyandotte	21093	Hardin
		21095	Harlan
21	Kentucky	21097	Harrison
-----		21099	Hart
21001	Adair	21101	Henderson
21003	Allen	21103	Henry
21005	Anderson	21105	Hickman
21007	Ballard	21107	Hopkins
21009	Barren	21109	Jackson
21011	Bath	21111	Jefferson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

21113	Jessamine	21213	Simpson
21115	Johnson	21215	Spencer
21117	Kenton	21217	Taylor
21119	Knott	21219	Todd
21121	Knox	21221	Trigg
21123	Larue	21223	Trimble
21125	Laurel	21225	Union
21127	Lawrence	21227	Warren
21129	Lee	21229	Washington
21131	Leslie	21231	Wayne
21133	Letcher	21233	Webster
21135	Lewis	21235	Whitley
21137	Lincoln	21237	Wolfe
21139	Livingston	21239	Woodford
21141	Logan		
21143	Lyon	22	Louisiana (Parishes)
21145	McCracken	-----	-----
21147	McCreary	22001	Acadia
21149	McLean	22003	Allen
21151	Madison	22005	Ascension
21153	Magoffin	22007	Assumption
21155	Marion	22009	Avoyelles
21157	Marshall	22011	Beauregard
21159	Martin	22013	Bienville
21161	Mason	22015	Bossier
21163	Meade	22017	Caddo
21165	Menifee	22019	Calcasieu
21167	Mercer	22021	Caldwell
21169	Metcalf	22023	Cameron
21171	Monroe	22025	Catahoula
21173	Montgomery	22027	Claiborne
21175	Morgan	22029	Concordia
21177	Muhlenberg	22031	De Soto
21179	Nelson	22033	East Baton Rouge
21181	Nicholas	22035	East Carroll
21183	Ohio	22037	East Feliciana
21185	Oldham	22039	Evangeline
21187	Owen	22041	Franklin
21189	Owsley	22043	Grant
21191	Pendleton	22045	Iberia
21193	Perry	22047	Iberville
21195	Pike	22049	Jackson
21197	Powell	22051	Jefferson
21199	Pulaski	22053	Jefferson Davis
21201	Robertson	22055	Lafayette
21203	Rockcastle	22057	Lafourche
21205	Rowan	22059	La Salle
21207	Russell	22061	Lincoln
21209	Scott	22063	Livingston
21211	Shelby	22065	Madison

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

22067	Morehouse	
22069	Natchitoches	24 Maryland
22071	Orleans	-----
22073	Ouachita	24001 Allegany
22075	Plaquemines	24003 Anne Arundel
22077	Pointe Coupee	24005 Baltimore
22079	Rapides	24009 Calvert
22081	Red River	24011 Caroline
22083	Richland	24013 Carroll
22085	Sabine	24015 Cecil
22087	St Bernard	24017 Charles
22089	St Charles	24019 Dorchester
22091	St Helena	24021 Frederick
22093	St James	24023 Garrett
22095	St John The Baptist	24025 Harford
22097	St Landry	24027 Howard
22099	St Martin	24029 Kent
22101	St Mary	24031 Montgomery
22103	St Tammany	24033 Prince George's
22105	Tangipahoa	24035 Queen Anne's
22107	Tensas	24037 St Mary's
22109	Terrebonne	24039 Somerset
22111	Union	24041 Talbot
22113	Vermilion	24043 Washington
22115	Vernon	24045 Wicomico
22117	Washington	24047 Worcester
22119	Webster	24510 Baltimore city
22121	West Baton Rouge	
22123	West Carroll	25 Massachusetts
22125	West Feliciana	-----
22127	Winn	25001 Barnstable
23	Maine	25003 Berkshire
-----		25005 Bristol
23001	Androscoggin	25007 Dukes
23003	Aroostook	25009 Essex
23005	Cumberland	25011 Franklin
23007	Franklin	25013 Hampden
23009	Hancock	25015 Hampshire
23011	Kennebec	25017 Middlesex
23013	Knox	25019 Nantucket
23015	Lincoln	25021 Norfolk
23017	Oxford	25023 Plymouth
23019	Penobscot	25025 Suffolk
23021	Piscataquis	25027 Worcester
23023	Sagadahoc	26 Michigan
23025	Somerset	-----
23027	Waldo	26001 Alcona
23029	Washington	26003 Alger
23031	York	26005 Allegan

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

26007	Alpena	26107	Mecosta
26009	Antrim	26109	Menominee
26011	Arenac	26111	Midland
26013	Baraga	26113	Missaukee
26015	Barry	26115	Monroe
26017	Bay	26117	Montcalm
26019	Benzie	26119	Montmorency
26021	Berrien	26121	Muskegon
26023	Branch	26123	Newaygo
26025	Calhoun	26125	Oakland
26027	Cass	26127	Oceana
26029	Charlevoix	26129	Ogemaw
26031	Cheboygan	26131	Ontonagon
26033	Chippewa	26133	Osceola
26035	Clare	26135	Oscoda
26037	Clinton	26137	Otsego
26039	Crawford	26139	Ottawa
26041	Delta	26141	Presque Isle
26043	Dickinson	26143	Roscommon
26045	Eaton	26145	Saginaw
26047	Emmet	26147	St Clair
26049	Genesee	26149	St Joseph
26051	Gladwin	26151	Sanilac
26053	Gogebic	26153	Schoolcraft
26055	Grand Traverse	26155	Shiawassee
26057	Gratiot	26157	Tuscola
26059	Hillsdale	26159	Van Buren
26061	Houghton	26161	Washtenaw
26063	Huron	26163	Wayne
26065	Ingham	26165	Wexford
26067	Ionia	27	Minnesota
26069	Iosco	-----	
26071	Iron	27001	Aitkin
26073	Isabella	27003	Anoka
26075	Jackson	27005	Becker
26077	Kalamazoo	27007	Beltrami
26079	Kalkaska	27009	Benton
26081	Kent	27011	Big Stone
26083	Keweenaw	27013	Blue Earth
26085	Lake	27015	Brown
26087	Lapeer	27017	Carlton
26089	Leelanau	27019	Carver
26091	Lenawee	27021	Cass
26093	Livingston	27023	Chippewa
26095	Luce	27025	Chisago
26097	Mackinac	27027	Clay
26099	Macomb	27029	Clearwater
26101	Manistee	27031	Cook
26103	Marquette	27033	Cottonwood
26105	Mason		

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

27035	Crow Wing	27135	Roseau
27037	Dakota	27137	St Louis
27039	Dodge	27139	Scott
27041	Douglas	27141	Sherburne
27043	Faribault	27143	Sibley
27045	Fillmore	27145	Stearns
27047	Freeborn	27147	Steele
27049	Goodhue	27149	Stevens
27051	Grant	27151	Swift
27053	Hennepin	27153	Todd
27055	Houston	27155	Traverse
27057	Hubbard	27157	Wabasha
27059	Isanti	27159	Wadena
27061	Itasca	27161	Waseca
27063	Jackson	27163	Washington
27065	Kanabec	27165	Watonwan
27067	Kandiyohi	27167	Wilkin
27069	Kittson	27169	Winona
27071	Koochiching	27171	Wright
27073	Lac qui Parle	27173	Yellow Medicine
27075	Lake		
27077	Lake Of The Woods	28	Mississippi
27079	Le Sueur	-----	
27081	Lincoln	28001	Adams
27083	Lyon	28003	Alcorn
27085	McLeod	28005	Amite
27087	Mahnomen	28007	Attala
27089	Marshall	28009	Benton
27091	Martin	28011	Bolivar
27093	Meeker	28013	Calhoun
27095	Mille Lacs	28015	Carroll
27097	Morrison	28017	Chickasaw
27099	Mower	28019	Choctaw
27101	Murray	28021	Claiborne
27103	Nicollet	28023	Clarke
27105	Nobles	28025	Clay
27107	Norman	28027	Coahoma
27109	Olmsted	28029	Copiah
27111	Otter Tail	28031	Covington
27113	Pennington	28033	De Soto
27115	Pine	28035	Forrest
27117	Pipestone	28037	Franklin
27119	Polk	28039	George
27121	Pope	28041	Greene
27123	Ramsey	28043	Grenada
27125	Red Lake	28045	Hancock
27127	Redwood	28047	Harrison
27129	Renville	28049	Hinds
27131	Rice	28051	Holmes
27133	Rock	28053	Humphreys

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

28055	Issaquena	28155	Webster
28057	Itawamba	28157	Wilkinson
28059	Jackson	28159	Winston
28061	Jasper	28161	Yalobusha
28063	Jefferson	28163	Yazoo
28065	Jefferson Davis		
28067	Jones	29	Missouri
28069	Kemper		-----
28071	Lafayette	29001	Adair
28073	Lamar	29003	Andrew
28075	Lauderdale	29005	Atchison
28077	Lawrence	29007	Audrain
28079	Leake	29009	Barry
28081	Lee	29011	Barton
28083	Leflore	29013	Bates
28085	Lincoln	29015	Benton
28087	Lowndes	29017	Bollinger
28089	Madison	29019	Boone
28091	Marion	29021	Buchanan
28093	Marshall	29023	Butler
28095	Monroe	29025	Caldwell
28097	Montgomery	29027	Callaway
28099	Neshoba	29029	Camden
28101	Newton	29031	Cape Girardeau
28103	Noxubee	29033	Carroll
28105	Oktibbeha	29035	Carter
28107	Panola	29037	Cass
28109	Pearl River	29039	Cedar
28111	Perry	29041	Chariton
28113	Pike	29043	Christian
28115	Pontotoc	29045	Clark
28117	Prentiss	29047	Clay
28119	Quitman	29049	Clinton
28121	Rankin	29051	Cole
28123	Scott	29053	Cooper
28125	Sharkey	29055	Crawford
28127	Simpson	29057	Dade
28129	Smith	29059	Dallas
28131	Stone	29061	Davies
28133	Sunflower	29063	De Kalb
28135	Tallahatchie	29065	Dent
28137	Tate	29067	Douglas
28139	Tippah	29069	Dunklin
28141	Tishomingo	29071	Franklin
28143	Tunica	29073	Gasconade
28145	Union	29075	Gentry
28147	Walthall	29077	Greene
28149	Warren	29079	Grundy
28151	Washington	29081	Harrison
28153	Wayne	29083	Henry

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

29085 Hickory	29185 St Clair
29087 Holt	29186 Ste Genevieve
29089 Howard	29187 St Francois
29091 Howell	29189 St Louis
29093 Iron	29195 Saline
29095 Jackson	29197 Schuyler
29097 Jasper	29199 Scotland
29099 Jefferson	29201 Scott
29101 Johnson	29203 Shannon
29103 Knox	29205 Shelby
29105 Laclede	29207 Stoddard
29107 Lafayette	29209 Stone
29109 Lawrence	29211 Sullivan
29111 Lewis	29213 Taney
29113 Lincoln	29215 Texas
29115 Linn	29217 Vernon
29117 Livingston	29219 Warren
29119 McDonald	29221 Washington
29121 Macon	29223 Wayne
29123 Madison	29225 Webster
29125 Maries	29227 Worth
29127 Marion	29229 Wright
29129 Mercer	29510 St Louis city
29131 Miller	
29133 Mississippi	30 Montana
29135 Moniteau	-----
29137 Monroe	30001 Beaverhead
29139 Montgomery	30003 Big Horn
29141 Morgan	30005 Blaine
29143 New Madrid	30007 Broadwater
29145 Newton	30009 Carbon
29147 Nodaway	30011 Carter
29149 Oregon	30013 Cascade
29151 Osage	30015 Chouteau
29153 Ozark	30017 Custer
29155 Pemiscot	30019 Daniels
29157 Perry	30021 Dawson
29159 Pettis	30023 Deer Lodge
29161 Phelps	30025 Fallon
29163 Pike	30027 Fergus
29165 Platte	30029 Flathead
29167 Polk	30031 Gallatin
29169 Pulaski	30033 Garfield
29171 Putnam	30035 Glacier
29173 Ralls	30037 Golden Valley
29175 Randolph	30039 Granite
29177 Ray	30041 Hill
29179 Reynolds	30043 Jefferson
29181 Ripley	30045 Judith Basin
29183 St Charles	30047 Lake

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

30049	Lewis and Clark	31029	Chase
30051	Liberty	31031	Cherry
30053	Lincoln	31033	Cheyenne
30055	McCone	31035	Clay
30057	Madison	31037	Colfax
30059	Meagher	31039	Cuming
30061	Mineral	31041	Custer
30063	Missoula	31043	Dakota
30065	Musselshell	31045	Dawes
30067	Park	31047	Dawson
30069	Petroleum	31049	Deuel
30071	Phillips	31051	Dixon
30073	Pondera	31053	Dodge
30075	Powder River	31055	Douglas
30077	Powell	31057	Dundy
30079	Prairie	31059	Fillmore
30081	Ravalli	31061	Franklin
30083	Richland	31063	Frontier
30085	Roosevelt	31065	Furnas
30087	Rosebud	31067	Gage
30089	Sanders	31069	Garden
30091	Sheridan	31071	Garfield
30093	Silver Bow	31073	Gosper
30095	Stillwater	31075	Grant
30097	Sweet Grass	31077	Greeley
30099	Teton	31079	Hall
30101	Toole	31081	Hamilton
30103	Treasure	31083	Harlan
30105	Valley	31085	Hayes
30107	Wheatland	31087	Hitchcock
30109	Wibaux	31089	Holt
30111	Yellowstone	31091	Hooker
30113	Yellowstone National Park	31093	Howard
		31095	Jefferson
31	Nebraska	31097	Johnson
	-----	31099	Kearney
31001	Adams	31101	Keith
31003	Antelope	31103	Keya Paha
31005	Arthur	31105	Kimball
31007	Banner	31107	Knox
31009	Blaine	31109	Lancaster
31011	Boone	31111	Lincoln
31013	Box Butte	31113	Logan
31015	Boyd	31115	Loup
31017	Brown	31117	McPherson
31019	Buffalo	31119	Madison
31021	Burt	31121	Merrick
31023	Butler	31123	Morrill
31025	Cass	31125	Nance
31027	Cedar	31127	Nemaha

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

31129	Nuckolls	33	New Hampshire
31131	Otoe	-----	
31133	Pawnee	33001	Belknap
31135	Perkins	33003	Carroll
31137	Phelps	33005	Cheshire
31139	Pierce	33007	Coos
31141	Platte	33009	Grafton
31143	Polk	33011	Hillsborough
31145	Red Willow	33013	Merrimack
31147	Richardson	33015	Rockingham
31149	Rock	33017	Strafford
31151	Saline	33019	Sullivan
31153	Sarpy		
31155	Saunders	34	New Jersey
31157	Scotts Bluff	-----	
31159	Seward	34001	Atlantic
31161	Sheridan	34003	Bergen
31163	Sherman	34005	Burlington
31165	Sioux	34007	Camden
31167	Stanton	34009	Cape May
31169	Thayer	34011	Cumberland
31171	Thomas	34013	Essex
31173	Thurston	34015	Gloucester
31175	Valley	34017	Hudson
31177	Washington	34019	Hunterdon
31179	Wayne	34021	Mercer
31181	Webster	34023	Middlesex
31183	Wheeler	34025	Monmouth
31185	York	34027	Morris
		34029	Ocean
32	Nevada	34031	Passaic
-----		34033	Salem
32001	Churchill	34035	Somerset
32003	Clark	34037	Sussex
32005	Douglas	34039	Union
32007	Elko	34041	Warren
32009	Esmeralda		
32011	Eureka	35	New Mexico
32013	Humboldt	-----	
32015	Lander	35001	Bernalillo
32017	Lincoln	35003	Catron
32019	Lyon	35005	Chaves
32021	Mineral	35006	Cibola
32023	Nye	35007	Colfax
32027	Pershing	35009	Curry
32029	Storey	35011	De Baca
32031	Washoe	35013	Dona Ana
32033	White Pine	35015	Eddy
32510	Carson City	35017	Grant
		35019	Guadalupe

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

35021	Harding	36051	Livingston
35023	Hidalgo	36053	Madison
35025	Lea	36055	Monroe
35027	Lincoln	36057	Montgomery
35028	Los Alamos	36059	Nassau
35029	Luna	36061	New York
35031	McKinley	36063	Niagara
35033	Mora	36065	Oneida
35035	Otero	36067	Onondaga
35037	Quay	36069	Ontario
35039	Rio Arriba	36071	Orange
35041	Roosevelt	36073	Orleans
35043	Sandoval	36075	Oswego
35045	San Juan	36077	Otsego
35047	San Miguel	36079	Putnam
35049	Santa Fe	36081	Queens
35051	Sierra	36083	Rensselaer
35053	Socorro	36085	Richmond
35055	Taos	36087	Rockland
35057	Torrance	36089	St Lawrence
35059	Union	36091	Saratoga
35061	Valencia	36093	Schenectady
36	New York	36095	Schoharie
-----		36097	Schuyler
36001	Albany	36099	Seneca
36003	Allegany	36101	Steuben
36005	Bronx	36103	Suffolk
36007	Broome	36105	Sullivan
36009	Cattaraugus	36107	Tioga
36011	Cayuga	36109	Tompkins
36013	Chautauqua	36111	Ulster
36015	Chemung	36113	Warren
36017	Chenango	36115	Washington
36019	Clinton	36117	Wayne
36021	Columbia	36119	Westchester
36023	Cortland	36121	Wyoming
36025	Delaware	36123	Yates
36027	Dutchess	37	North Carolina
36029	Erie	-----	
36031	Essex	37001	Alamance
36033	Franklin	37003	Alexander
36035	Fulton	37005	Alleghany
36037	Genesee	37007	Anson
36039	Greene	37009	Ashe
36041	Hamilton	37011	Avery
36043	Herkimer	37013	Beaufort
36045	Jefferson	37015	Bertie
36047	Kings	37017	Bladen
36049	Lewis	37019	Brunswick

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

37021	Buncombe	37121	Mitchell
37023	Burke	37123	Montgomery
37025	Cabarrus	37125	Moore
37027	Caldwell	37127	Nash
37029	Camden	37129	New Hanover
37031	Carteret	37131	Northhampton
37033	Caswell	37133	Onslow
37035	Catawba	37135	Orange
37037	Chatham	37137	Pamlico
37039	Cherokee	37139	Pasquotank
37041	Chowan	37141	Pender
37043	Clay	37143	Perquimans
37045	Cleveland	37145	Person
37047	Columbus	37147	Pitt
37049	Craven	37149	Polk
37051	Cumberland	37151	Randolph
37053	Currituck	37153	Richmond
37055	Dare	37155	Robeson
37057	Davidson	37157	Rockingham
37059	Davie	37159	Rowan
37061	Duplin	37161	Rutherford
37063	Durham	37163	Sampson
37065	Edgecombe	37165	Scotland
37067	Forsyth	37167	Stanly
37069	Franklin	37169	Stokes
37071	Gaston	37171	Surry
37073	Gates	37173	Swain
37075	Graham	37175	Transylvania
37077	Granville	37177	Tyrrell
37079	Greene	37179	Union
37081	Guilford	37181	Vance
37083	Halifax	37183	Wake
37085	Harnett	37185	Warren
37087	Haywood	37187	Washington
37089	Henderson	37189	Watauga
37091	Hertford	37191	Wayne
37093	Hoke	37193	Wilkes
37095	Hyde	37195	Wilson
37097	Iredell	37197	Yadkin
37099	Jackson	37199	Yancey
37101	Johnston		
37103	Jones	38	North Dakota
37105	Lee		-----
37107	Lenoir	38001	Adams
37109	Lincoln	38003	Barnes
37111	McDowell	38005	Benson
37113	Macon	38007	Billings
37115	Madison	38009	Bottineau
37117	Martin	38011	Bowman
37119	Mecklenburg	38013	Burke

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

38015	Burleigh	39	Ohio
38017	Cass	-----	
38019	Cavalier	39001	Adams
38021	Dickey	39003	Allen
38023	Divide	39005	Ashland
38025	Dunn	39007	Ashtabula
38027	Eddy	39009	Athens
38029	Emmons	39011	Auglaize
38031	Foster	39013	Belmont
38033	Golden Valley	39015	Brown
38035	Grand Forks	39017	Butler
38037	Grant	39019	Carroll
38039	Griggs	39021	Champaign
38041	Hettinger	39023	Clark
38043	Kidder	39025	Clermont
38045	La Moure	39027	Clinton
38047	Logan	39029	Columbiana
38049	McHenry	39031	Coshocton
38051	McIntosh	39033	Crawford
38053	McKenzie	39035	Cuyahoga
38055	McLean	39037	Darke
38057	Mercer	39039	Defiance
38059	Morton	39041	Delaware
38061	Mountrail	39043	Erie
38063	Nelson	39045	Fairfield
38065	Oliver	39047	Fayette
38067	Pembina	39049	Franklin
38069	Pierce	39051	Fulton
38071	Ramsey	39053	Gallia
38073	Ransom	39055	Geauga
38075	Renville	39057	Greene
38077	Richland	39059	Guernsey
38079	Rolette	39061	Hamilton
38081	Sargent	39063	Hancock
38083	Sheridan	39065	Hardin
38085	Sioux	39067	Harrison
38087	Slope	39069	Henry
38089	Stark	39071	Highland
38091	Steele	39073	Hocking
38093	Stutsman	39075	Holmes
38095	Towner	39077	Huron
38097	Traill	39079	Jackson
38099	Walsh	39081	Jefferson
38101	Ward	39083	Knox
38103	Wells	39085	Lake
38105	Williams	39087	Lawrence
		39089	Licking
		39091	Logan
		39093	Lorain
		39095	Lucas

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

39097	Madison	40015	Caddo
39099	Mahoning	40017	Canadian
39101	Marion	40019	Carter
39103	Medina	40021	Cherokee
39105	Meigs	40023	Choctaw
39107	Mercer	40025	Cimarron
39109	Miami	40027	Cleveland
39111	Monroe	40029	Coal
39113	Montgomery	40031	Comanche
39115	Morgan	40033	Cotton
39117	Morrow	40035	Craig
39119	Muskingum	40037	Creek
39121	Noble	40039	Custer
39123	Ottawa	40041	Delaware
39125	Paulding	40043	Dewey
39127	Perry	40045	Ellis
39129	Pickaway	40047	Garfield
39131	Pike	40049	Garvin
39133	Portage	40051	Grady
39135	Preble	40053	Grant
39137	Putnam	40055	Greer
39139	Richland	40057	Harmon
39141	Ross	40059	Harper
39143	Sandusky	40061	Haskell
39145	Scioto	40063	Hughes
39147	Seneca	40065	Jackson
39149	Shelby	40067	Jefferson
39151	Stark	40069	Johnston
39153	Summit	40071	Kay
39155	Trumbull	40073	Kingfisher
39157	Tuscarawas	40075	Kiowa
39159	Union	40077	Latimer
39161	Van Wert	40079	Le Flore
39163	Vinton	40081	Lincoln
39165	Warren	40083	Logan
39167	Washington	40085	Love
39169	Wayne	40087	McClain
39171	Williams	40089	McCurtain
39173	Wood	40091	McIntosh
39175	Wyandot	40093	Major
		40095	Marshall
40	Oklahoma	40097	Mayes
-----		40099	Murray
40001	Adair	40101	Muskogee
40003	Alfalfa	40103	Noble
40005	Atoka	40105	Nowata
40007	Beaver	40107	Oklfuskee
40009	Beckham	40109	Oklahoma
40011	Blaine	40111	Okmulgee
40013	Bryan	40113	Osage

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

40115	Ottawa	41055	Sherman
40117	Pawnee	41057	Tillamook
40119	Payne	41059	Umatilla
40121	Pittsburg	41061	Union
40123	Pontotoc	41063	Wallowa
40125	Pottawatomie	41065	Wasco
40127	Pushmataha	41067	Washington
40129	Roger Mills	41069	Wheeler
40131	Rogers	41071	Yamhill
40133	Seminole	42	Pennsylvania
40135	Sequoyah	-----	
40137	Stephens	42001	Adams
40139	Texas	42003	Allegheny
40141	Tillman	42005	Armstrong
40143	Tulsa	42007	Beaver
40145	Wagoner	42009	Bedford
40147	Washington	42011	Berks
40149	Washita	42013	Blair
40151	Woods	42015	Bradford
40153	Woodward	42017	Bucks
41	Oregon	42019	Butler
-----		42021	Cambria
41001	Baker	42023	Cameron
41003	Benton	42025	Carbon
41005	Clackamas	42027	Centre
41007	Clatsop	42029	Chester
41009	Columbia	42031	Clarion
41011	Coos	42033	Clearfield
41013	Crook	42035	Clinton
41015	Curry	42037	Columbia
41017	Deschutes	42039	Crawford
41019	Douglas	42041	Cumberland
41021	Gilliam	42043	Dauphin
41023	Grant	42045	Delaware
41025	Harney	42047	Elk
41027	Hood River	42049	Erie
41029	Jackson	42051	Fayette
41031	Jefferson	42053	Forest
41033	Josephine	42055	Franklin
41035	Klamath	42057	Fulton
41037	Lake	42059	Greene
41039	Lane	42061	Huntingdon
41041	Lincoln	42063	Indiana
41043	Linn	42065	Jefferson
41045	Malheur	42067	Juniata
41047	Marion	42069	Lackawanna
41049	Morrow	42071	Lancaster
41051	Multnomah	42073	Lawrence
41053	Polk	42075	Lebanon

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

42077	Lehigh	45021	Cherokee
42079	Luzerne	45023	Chester
42081	Lycoming	45025	Chesterfield
42083	McKean	45027	Clarendon
42085	Mercer	45029	Colleton
42087	Mifflin	45031	Darlington
42089	Monroe	45033	Dillon
42091	Montgomery	45035	Dorchester
42093	Montour	45037	Edgefield
42095	Northampton	45039	Fairfield
42097	Northumberland	45041	Florence
42099	Perry	45043	Georgetown
42101	Philadelphia	45045	Greenville
42103	Pike	45047	Greenwood
42105	Potter	45049	Hampton
42107	Schuylkill	45051	Horry
42109	Snyder	45053	Jasper
42111	Somerset	45055	Kershaw
42113	Sullivan	45057	Lancaster
42115	Susquehanna	45059	Laurens
42117	Tioga	45061	Lee
42119	Union	45063	Lexington
42121	Venango	45065	McCormick
42123	Warren	45067	Marion
42125	Washington	45069	Marlboro
42127	Wayne	45071	Newberry
42129	Westmoreland	45073	Oconee
42131	Wyoming	45075	Orangeburg
42133	York	45077	Pickens
		45079	Richland
44	Rhode Island	45081	Saluda
-----		45083	Spartanburg
44001	Bristol	45085	Sumter
44003	Kent	45087	Union
44005	Newport	45089	Williamsburg
44007	Providence	45091	York
44009	Washington		
45	South Carolina	46	South Dakota
-----		-----	
45001	Abbeville	46003	Aurora
45003	Aiken	46005	Beadle
45005	Allendale	46007	Bennett
45007	Anderson	46009	Bon Homme
45009	Bamberg	46011	Brookings
45011	Barnwell	46013	Brown
45013	Beaufort	46015	Brule
45015	Berkeley	46017	Buffalo
45017	Calhoun	46019	Butte
45019	Charleston	46021	Campbell
		46023	Charles Mix

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

46025	Clark	46125	Turner
46027	Clay	46127	Union
46029	Codington	46129	Walworth
46031	Corson	46135	Yankton
46033	Custer	46137	Ziebach
46035	Davison		
46037	Day	47	Tennessee
46039	Deuel		-----
46041	Dewey	47001	Anderson
46043	Douglas	47003	Bedford
46045	Edmunds	47005	Benton
46047	Fall River	47007	Bledsoe
46049	Faulk	47009	Blount
46051	Grant	47011	Bradley
46053	Gregory	47013	Campbell
46055	Haakon	47015	Cannon
46057	Hamlin	47017	Carroll
46059	Hand	47019	Carter
46061	Hanson	47021	Cheatham
46063	Harding	47023	Chester
46065	Hughes	47025	Claiborne
46067	Hutchinson	47027	Clay
46069	Hyde	47029	Cocke
46071	Jackson	47031	Coffee
46073	Jerauld	47033	Crockett
46075	Jones	47035	Cumberland
46077	Kingsbury	47037	Davidson
46079	Lake	47039	Decatur
46081	Lawrence	47041	De Kalb
46083	Lincoln	47043	Dickson
46085	Lyman	47045	Dyer
46087	McCook	47047	Fayette
46089	McPherson	47049	Fentress
46091	Marshall	47051	Franklin
46093	Meade	47053	Gibson
46095	Mellette	47055	Giles
46097	Miner	47057	Grainger
46099	Minnehaha	47059	Greene
46101	Moody	47061	Grundy
46103	Pennington	47063	Hamblen
46105	Perkins	47065	Hamilton
46107	Potter	47067	Hancock
46109	Roberts	47069	Hardeman
46111	Sanborn	47071	Hardin
46113	Shannon	47073	Hawkins
46115	Spink	47075	Haywood
46117	Stanley	47077	Henderson
46119	Sully	47079	Henry
46121	Todd	47081	Hickman
46123	Tripp	47083	Houston

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

47085	Humphreys	47185	White
47087	Jackson	47187	Williamson
47089	Jefferson	47189	Wilson
47091	Johnson		
47093	Knox	48	Texas
47095	Lake		-----
47097	Lauderdale	48001	Anderson
47099	Lawrence	48003	Andrews
47101	Lewis	48005	Angelina
47103	Lincoln	48007	Aransas
47105	Loudon	48009	Archer
47107	McMinn	48011	Armstrong
47109	McNairy	48013	Atascosa
47111	Macon	48015	Austin
47113	Madison	48017	Bailey
47115	Marion	48019	Bandera
47117	Marshall	48021	Bastrop
47119	Maury	48023	Baylor
47121	Meigs	48025	Bee
47123	Monroe	48027	Bell
47125	Montgomery	48029	Bexar
47127	Moore	48031	Blanco
47129	Morgan	48033	Borden
47131	Obion	48035	Bosque
47133	Overton	48037	Bowie
47135	Perry	48039	Brazoria
47137	Pickett	48041	Brazos
47139	Polk	48043	Brewster
47141	Putnam	48045	Briscoe
47143	Rhea	48047	Brooks
47145	Roane	48049	Brown
47147	Robertson	48051	Burleson
47149	Rutherford	48053	Burnet
47151	Scott	48055	Caldwell
47153	Sequatchie	48057	Calhoun
47155	Sevier	48059	Callahan
47157	Shelby	48061	Cameron
47159	Smith	48063	Camp
47161	Stewart	48065	Carson
47163	Sullivan	48067	Cass
47165	Sumner	48069	Castro
47167	Tipton	48071	Chambers
47169	Trousdale	48073	Cherokee
47171	Unicoi	48075	Childress
47173	Union	48077	Clay
47175	Van Buren	48079	Cochran
47177	Warren	48081	Coke
47179	Washington	48083	Coleman
47181	Wayne	48085	Collin
47183	Weakley	48087	Collingsworth

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48089	Colorado	48189	Hale
48091	Comal	48191	Hall
48093	Comanche	48193	Hamilton
48095	Concho	48195	Hansford
48097	Cooke	48197	Hardeman
48099	Coryell	48199	Hardin
48101	Cottle	48201	Harris
48103	Crane	48203	Harrison
48105	Crockett	48205	Hartley
48107	Crosby	48207	Haskell
48109	Culberson	48209	Hays
48111	Dallam	48211	Hemphill
48113	Dallas	48213	Henderson
48115	Dawson	48215	Hidalgo
48117	Deaf Smith	48217	Hill
48119	Delta	48219	Hockley
48121	Denton	48221	Hood
48123	De Witt	48223	Hopkins
48125	Dickens	48225	Houston
48127	Dimmit	48227	Howard
48129	Donley	48229	Hudspeth
48131	Duval	48231	Hunt
48133	Eastland	48233	Hutchinson
48135	Ector	48235	Irion
48137	Edwards	48237	Jack
48139	Ellis	48239	Jackson
48141	El Paso	48241	Jasper
48143	Erath	48243	Jeff Davis
48145	Falls	48245	Jefferson
48147	Fannin	48247	Jim Hogg
48149	Fayette	48249	Jim Wells
48151	Fisher	48251	Johnson
48153	Floyd	48253	Jones
48155	Foard	48255	Karnes
48157	Fort Bend	48257	Kaufman
48159	Franklin	48259	Kendall
48161	Freestone	48261	Kenedy
48163	Frio	48263	Kent
48165	Gaines	48265	Kerr
48167	Galveston	48267	Kimble
48169	Garza	48269	King
48171	Gillespie	48271	Kinney
48173	Glasscock	48273	Kleberg
48175	Goliad	48275	Knox
48177	Gonzales	48277	Lamar
48179	Gray	48279	Lamb
48181	Grayson	48281	Lampasas
48183	Gregg	48283	La Salle
48185	Grimes	48285	Lavaca
48187	Guadalupe	48287	Lee

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48289	Leon	48389	Reeves
48291	Liberty	48391	Refugio
48293	Limestone	48393	Roberts
48295	Lipscomb	48395	Robertson
48297	Live Oak	48397	Rockwall
48299	Llano	48399	Runnels
48301	Loving	48401	Rusk
48303	Lubbock	48403	Sabine
48305	Lynn	48405	San Augustine
48307	McCulloch	48407	San Jacinto
48309	McLennan	48409	San Patricio
48311	McMullen	48411	San Saba
48313	Madison	48413	Schleicher
48315	Marion	48415	Scurry
48317	Martin	48417	Shackelford
48319	Mason	48419	Shelby
48321	Matagorda	48421	Sherman
48323	Maverick	48423	Smith
48325	Medina	48425	Somervell
48327	Menard	48427	Starr
48329	Midland	48429	Stephens
48331	Milam	48431	Sterling
48333	Mills	48433	Stonewall
48335	Mitchell	48435	Sutton
48337	Montague	48437	Swisher
48339	Montgomery	48439	Tarrant
48341	Moore	48441	Taylor
48343	Morris	48443	Terrell
48345	Motley	48445	Terry
48347	Nacogdoches	48447	Throckmorton
48349	Navarro	48449	Titus
48351	Newton	48451	Tom Green
48353	Nolan	48453	Travis
48355	Nueces	48455	Trinity
48357	Ochiltree	48457	Tyler
48359	Oldham	48459	Upshur
48361	Orange	48461	Upton
48363	Palo Pinto	48463	Uvalde
48365	Panola	48465	Val Verde
48367	Parker	48467	Van Zandt
48369	Parmer	48469	Victoria
48371	Pecos	48471	Walker
48373	Polk	48473	Waller
48375	Potter	48475	Ward
48377	Presidio	48477	Washington
48379	Rains	48479	Webb
48381	Randall	48481	Wharton
48383	Reagan	48483	Wheeler
48385	Real	48485	Wichita
48387	Red River	48487	Wilbarger

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48489	Willacy	50011 Franklin
48491	Williamson	50013 Grand Isle
48493	Wilson	50015 Lamoille
48495	Winkler	50017 Orange
48497	Wise	50019 Orleans
48499	Wood	50021 Rutland
48501	Yoakum	50023 Washington
48503	Young	50025 Windham
48505	Zapata	50027 Windsor
48507	Zavala	
49	Utah	51 Virginia
	-----	-----
49001	Beaver	51001 Accomack
49003	Box Elder	51003 Albemarle
49005	Cache	51005 Alleghany
49007	Carbon	51007 Amelia
49009	Daggett	51009 Amherst
49011	Davis	51011 Appomattox
49013	Duchesne	51013 Arlington
49015	Emery	51015 Augusta
49017	Garfield	51017 Bath
49019	Grand	51019 Bedford
49021	Iron	51021 Bland
49023	Juab	51023 Botetourt
49025	Kane	51025 Brunswick
49027	Millard	51027 Buchanan
49029	Morgan	51029 Buckingham
49031	Piute	51031 Campbell
49033	Rich	51033 Caroline
49035	Salt Lake	51035 Carroll
49037	San Juan	51036 Charles City
49039	Sanpete	51037 Charlotte
49041	Sevier	51041 Chesterfield
49043	Summit	51043 Clarke
49045	Tooele	51045 Craig
49047	Uintah	51047 Culpeper
49049	Utah	51049 Cumberland
49051	Wasatch	51051 Dickenson
49053	Washington	51053 Dinwiddie
49055	Wayne	51057 Essex
49057	Weber	51059 Fairfax
50	Vermont	51061 Fauquier
	-----	51063 Floyd
50001	Addison	51065 Fluvanna
50003	Bennington	51067 Franklin
50005	Caledonia	51069 Frederick
50007	Chittenden	51071 Giles
50009	Essex	51073 Gloucester
		51075 Goochland
		51077 Grayson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

51079	Greene	51185	Tazewell
51081	Greenville	51187	Warren
51083	Halifax	51191	Washington
51085	Hanover	51193	Westmoreland
51087	Henrico	51195	Wise
51089	Henry	51197	Wythe
51091	Highland	51199	York
51093	Isle Of Wight	51510	Alexandria city
51095	James City	51515	Bedford city
51097	King and Queen	51520	Bristol city
51099	King George	51530	Buena Vista city
51101	King William	51540	Charlottesville city
51103	Lancaster	51550	Chesapeake city
51105	Lee	51560	Clifton Forge city
51107	Loudoun	51570	Colonial Heights city
51109	Louisa	51580	Covington city
51111	Lunenburg	51590	Danville city
51113	Madison	51595	Emporia city
51115	Mathews	51600	Fairfax city
51117	Mecklenburg	51610	Falls Church city
51119	Middlesex	51620	Franklin city
51121	Montgomery	51630	Fredericksburg city
51125	Nelson	51640	Galax city
51127	New Kent	51650	Hampton city
51131	Northampton	51660	Harrisonburg city
51133	Northumberland	51670	Hopewell city
51135	Nottoway	51678	Lexington city
51137	Orange	51680	Lynchburg city
51139	Page	51683	Manassas city
51141	Patrick	51685	Manassas Park city
51143	Pittsylvania	51690	Martinsville city
51145	Powhatan	51700	Newport News city
51147	Prince Edward	51710	Norfolk city
51149	Prince George	51720	Norton city
51153	Prince William	51730	Petersburg city
51155	Pulaski	51735	Poquoson city
51157	Rappahannock	51740	Portsmouth city
51159	Richmond	51750	Radford city
51161	Roanoke	51760	Richmond city
51163	Rockbridge	51770	Roanoke city
51165	Rockingham	51775	Salem city
51167	Russell	51780	South Boston city
51169	Scott	51790	Staunton city
51171	Shenandoah	51800	Suffolk city
51173	Smyth	51810	Virginia Beach city
51175	Southampton	51820	Waynesboro city
51177	Spotsylvania	51830	Williamsburg city
51179	Stafford	51840	Winchester city
51181	Surry		
51183	Sussex	53	Washington

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

53001	Adams	54015	Clay
53003	Asotin	54017	Doddridge
53005	Benton	54019	Fayette
53007	Chelan	54021	Gilmer
53009	Clallam	54023	Grant
53011	Clark	54025	Greenbrier
53013	Columbia	54027	Hampshire
53015	Cowlitz	54029	Hancock
53017	Douglas	54031	Hardy
53019	Ferry	54033	Harrison
53021	Franklin	54035	Jackson
53023	Garfield	54037	Jefferson
53025	Grant	54039	Kanawha
53027	Grays Harbor	54041	Lewis
53029	Island	54043	Lincoln
53031	Jefferson	54045	Logan
53033	King	54047	McDowell
53035	Kitsap	54049	Marion
53037	Kittitas	54051	Marshall
53039	Klickitat	54053	Mason
53041	Lewis	54055	Mercer
53043	Lincoln	54057	Mineral
53045	Mason	54059	Mingo
53047	Okanogan	54061	Monongalia
53049	Pacific	54063	Monroe
53051	Pend Oreille	54065	Morgan
53053	Pierce	54067	Nicholas
53055	San Juan	54069	Ohio
53057	Skagit	54071	Pendleton
53059	Skamania	54073	Pleasants
53061	Snohomish	54075	Pocahontas
53063	Spokane	54077	Preston
53065	Stevens	54079	Putnam
53067	Thurston	54081	Raleigh
53069	Wahkiakum	54083	Randolph
53071	Walla Walla	54085	Ritchie
53073	Whatcom	54087	Roane
53075	Whitman	54089	Summers
53077	Yakima	54091	Taylor
54	West Virginia	54093	Tucker
-----		54095	Tyler
54001	Barbour	54097	Upshur
54003	Berkeley	54099	Wayne
54005	Boone	54101	Webster
54007	Braxton	54103	Wetzel
54009	Brooke	54105	Wirt
54011	Cabell	54107	Wood
54013	Calhoun	54109	Wyoming

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

55	Wisconsin	55095	Polk
	-----	55097	Portage
55001	Adams	55099	Price
55003	Ashland	55101	Racine
55005	Barron	55103	Richland
55007	Bayfield	55105	Rock
55009	Brown	55107	Rusk
55011	Buffalo	55109	St Croix
55013	Burnett	55111	Sauk
55015	Calumet	55113	Sawyer
55017	Chippewa	55115	Shawano
55019	Clark	55117	Sheboygan
55021	Columbia	55119	Taylor
55023	Crawford	55121	Trempealeau
55025	Dane	55123	Vernon
55027	Dodge	55125	Vilas
55029	Door	55127	Walworth
55031	Douglas	55129	Washburn
55033	Dunn	55131	Washington
55035	Eau Claire	55133	Waukesha
55037	Florence	55135	Waupaca
55039	Fond du Lac	55137	Waushara
55041	Forest	55139	Winnebago
55043	Grant	55141	Wood
55045	Green		
55047	Green Lake	56	Wyoming
55049	Iowa		-----
55051	Iron	56001	Albany
55053	Jackson	56003	Big Horn
55055	Jefferson	56005	Campbell
55057	Juneau	56007	Carbon
55059	Kenosha	56009	Converse
55061	Kewaunee	56011	Crook
55063	La Crosse	56013	Fremont
55065	Lafayette	56015	Goshen
55067	Langlade	56017	Hot Springs
55069	Lincoln	56019	Johnson
55071	Manitowoc	56021	Laramie
55073	Marathon	56023	Lincoln
55075	Marinette	56025	Natrona
55077	Marquette	56027	Niobrara
55078	Menominee	56029	Park
55079	Milwaukee	56031	Platte
55081	Monroe	56033	Sheridan
55083	Oconto	56035	Sublette
55085	Oneida	56037	Sweetwater
55087	Outagamie	56039	Teton
55089	Ozaukee	56041	Uinta
55091	Pepin	56043	Washakie
55093	Pierce	56045	Weston